




# Shelf Optimisation



We create for order!



# VKF Renzel

VKF Renzel GmbH • Im Geer 15 • 46419 Isselburg • Germany • Phone: +49 (0) 28 74 / 910-180  
Fax: +49 (0) 28 74 / 910-111 • [www.vkf-renzel.com](http://www.vkf-renzel.com) • [sales@vkf-renzel.com](mailto:sales@vkf-renzel.com)





Main Hub Germany



**VKF Renzel GmbH**  
Im Geer 15  
46419 Isselburg  
Germany



+49 (0) 28 74 / 910-180



+49 (0) 28 74 / 910-111



sales@vkf-renzel.com




www.vkf-renzel.com

## CONTENTS



1.

Shelf Divider Systems "Perfekta"  
and "Perfekta "MP" 3-32



2.

Shelf Divider  
System "ROS" 33-36



3.

Kwickload 37-46

Shop online - visit our online shop



- ✓ 24 hours a day, 7 days a week
- ✓ Over 19000 different items
- ✓ Despatch of stock items within 24 hours of order receipt
- ✓ Product ranges specific to industry areas



## Shelf Divider Systems "Perfekta" and "Perfekta "MP"

Divider Rails	Shelf Divider Profiles with Price Display	
Shelf Divider Range "MP"	Shelf Divider Range "SR"	Shelf Divider Range "KD"
Stock Pushers	Stock Pusher System Tobacco	Twin Pusher

1





## Eliminate chaos on the shelf ...

... and create order!

- ✓ optically uniform product arrangement
- ✓ structuring according to product groups - so that the customer can orientate themselves better
- ✓ adherence to the specified shelf space for individual products
- ✓ better overview - especially for products with a varied assortment depth (e.g. cosmetics and beauty)
- ✓ assignment of the right prices to the right product - no misalignment within the shelf levels
- ✓ easy combination with a scanner rail incl. shelf divider holder (PEK) at the shelf front
- ✓ easy combination with shelf stoppers for visualisation
- ✓ better order with e.g. conical packages




## Shelf Divider System "Perfekta" and "Perfekta MP"

### Divider Profiles

Attachment according to your requirements:



with adhesive tape



with magnetic tape



slot-in system for wire shelves

### Divider Profile "PEK"

- anchor profile with guide rail for shelf dividers
- available with adhesive tape or magnetic tape

Length: 1000 mm; Width: 13 mm

Colour: transparent; Adhesive: standard adhesive 12 mm

22.0012.33

Colour: transparent; Magnet: 10 mm magnetic tape

22.0012.141

Colour: white; Adhesive: standard adhesive 12 mm

22.0012.1

Colour: white; Magnet: 10 mm magnetic tape

22.0012.54



for front attachment

### Divider Profile "PEK 30"

- anchor profile with guide rail for shelf dividers
- available with adhesive tape or magnetic tape

Length: 1000 mm; Width: 36 mm

Colour: transparent; Adhesive: textile adhesive 19 mm

22.0013.8

Colour: transparent;

Magnet: 20 mm magnetic tape, applied under T-profile

22.0013.24


Colour: white; Adhesive: textile adhesive 19 mm

22.0013.14

Colour: white;

Magnet: 20 mm magnetic tape, applied under T-profile

22.0013.88



Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!



**Divider Profile "PES"**

- slot-in profile for metal channels
- with guide rail for shelf dividers


Colour: transparent; Length: 990 mm  
**22.0011.3**



**Divider Profile "PEK 30" with Cutouts**

- anchor profile for dividing wire shelves
- with oval cut-outs and guide rail for dividers

Colour: transparent; Length: 1000 mm; Width: 30mm  
**22.0096.9**



**Divider Profile "PEK 25"**

- anchor profile for shelf dividers, incl. holder for attaching the "MP" shelf divider range
- available with adhesive tape or magnetic tape

Length: 1000 mm; Width: 25 mm; Adhesive: standard tape 19 mm  
Colour: grey  
**22.0144.35**  
Colour: transparent  
**22.0144.31**

*Rear attachment  
with "PEK 25"  
and "PEK 45"*



**Divider Profile "PEK 45"**

- anchor profile for shelf dividers, incl. holder for attaching the "MP" shelf divider range
- available with adhesive tape or magnetic tape

Colour: transparent; Length: 1000 mm; Width: 45 mm;  
Adhesive: textile adhesive 19 mm  
**22.0180.1**

Current prices can be found on our website.

**"Perfekta" Shelf Risers**

**Shelf Riser "Perfekta"**

- for your product advertising on the shelf
- with guide rail for shelf dividers
- dimensions: 40 x 40 mm (W x H)
- available with adhesive tape or magnetic tape

Colour: transparent; Length: 1000 mm  
Adhesive: textile adhesive 19 mm  
**22.0014.15**  
Magnet: magnetic tape 20mm  
**22.0014.30**

We can print your logo on all promotional risers.  
Please ask for further information.



**Promotional Shelf Riser for Wire Shelves**

- with oval cut-outs and guide rail for shelf dividers
- dimensions: 57 x 40 mm (W x H)


Colour: transparent; Length: 1000 mm  
**22.0015.2**



**Clips for Promotional Risers and Divider Rails with Cutouts**

- for attaching the profiles to wire shelves


Material: polycarbonate; Colour: crystal clear;  
Wire thickness: 2.8-3.2 mm  
**22.0034.1**



Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!



## Shelf Divider Profiles with Price Display



### Shelf Edge Profile "HEP 30 / WLP"

- hinged
- for 30 mm high ticket
- with guide rail for shelf dividers
- self-adhesive on all metal, wood and glass shelves

Length: 1000 mm; Adhesive: textile adhesive 19 mm

Colour: transparent

22.0262.16

Colour: white

22.0262.105



### Shelf Edge Profile "DBR / MP 26"

- with adapter
- for 26 mm high tickets
- with adhesive tape and dust cover
- with guide rail for shelf dividers

Colour: transparent; Length: 1000 mm;

Adhesive: standard tape 19 mm

20.0974.4



### Shelf Edge Profile "DBR / MSP 26"

- hinged
- with adapter
- for 26 mm high tickets
- with adhesive tape and dust cover
- with guide rail for shelf dividers

Colour: transparent; Length: 1000 mm;

Adhesive: standard tape 19 mm

20.1044.9

hinged

### Shelf Edge Profile "HEP"

- with guide rail for shelf dividers
- self-adhesive on all metal, wood and glass shelves

Length: 1000 mm; Adhesive: textile adhesive 16mm

Insert height: 26 mm; Colour: transparent

22.0004.49

Insert height: 39 mm; Colour: transparent

22.0006.41

Insert height: 39 mm; Colour: white

22.0006.178



### Shelf Edge Profile "RUP"

- with guide rail for shelf dividers
- self-adhesive on all metal, wood and glass shelves

Length: 1000 mm

Insert height: 20 mm; Colour: transparent;

Adhesive: standard adhesive 12 mm

22.0010.7

Insert height: 20 mm; Colour: white;

Adhesive: standard adhesive 12 mm

22.0010.11

Insert height: 39 mm; Colour: white; Adhesive: standard tape 19 mm

22.0355.5



### Shelf Edge Profile "WWT / MP 26"

- with adapter
- for 26 mm high tickets
- for Wanzl and Wire-Tec wire shelves with two horizontal wire lines
- with guide rail for shelf dividers

Colour: transparent; Length: 1000 mm

20.0975.5




Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!



## Shelf Edge Profile "WWT / MSP 26"

- hinged
- with adapter
- for 26 mm high tickets
- for Wanzl and Wire-Tec wire shelves with two horizontal wire lines
- with guide rail for shelf dividers


Colour: transparent; Length: 1000 mm  
**20.1042.16**



## Shelf Edge Profile "GLS / MP 26"

- with adapter
- for 26 mm high tickets
- suitable for glass and wooden shelves with a thickness of 5-10 mm
- with guide rail for shelf dividers

Colour: transparent; Length: 1000 mm  
**20.0976.4**



## Shelf Edge Profile "GLS / MSP 26"

- hinged
- with adapter
- for 26 mm high tickets
- suitable for glass and wooden shelves with a thickness of 5-10 mm
- with guide rail for shelf dividers

Colour: transparent; Length: 1000 mm  
**20.1043.4**



## Shelf Edge Profile "GLS 39 / WLP"

- hinged
- for 39 mm high tickets
- with guide rail for shelf dividers
- for glass and wooden shelves with a thickness of 5-10 mm

Colour: transparent; Length: 1000 mm  
**22.0263.7**

Current prices can be found on our website.

## Shelf Edge Profile "AL / WLP"

- hinged
- with guide rail for shelf dividers
- for Linde, Storebest, Alpos and Tegometal shelves

Colour: white

Insert height: 30mm; Length: 985 mm

**22.0265.3**

Insert height: 39 mm; Length: 990 mm

**22.0264.3**



## Shelf Edge Profile "GLSP 26"

- for 26 mm high tickets
- with guide rail for shelf dividers
- for glass and wooden shelves with a thickness of 5-10 mm


Length: 1000 mm

Colour: transparent

**22.0009.12**

Colour: white

**22.0009.39**




## Shelf Edge Profile "LSP"

- with guide rail for shelf dividers
- for Linde, Storebest and Tegometal shelves

Insert height: 26 mm; Colour: white; Length: 1000 mm

**22.0002.4**



Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!



1



**Shelf Edge Profile "LS / MSP 39"**  
- with guide rail for shelf dividers  
- for Linde, Storebest, Alpos and Tegometal shelves  
Insert height: 39 mm; Colour: transparent; Length: 1000 mm  
**22.0300.8**



**Shelf Edge Profile "TE / MSP 26"**  
- with guide rail for shelf dividers  
- for Linde, Storebest, Alpos and Tegometal shelves  
Insert height: 26 mm; Colour: transparent; Length: 1000 mm  
**20.1955.31**

**Our diversity is your advantage!**


- ✓ over 300 different profile types available
- ✓ various fastening options
- ✓ cut to size - no wastage
- ✓ processing of different base materials such as PVC, PET, PC, TPE, PLA and recycled materials



Current prices can be found on our website.

Shelf Divider System "MP"

... give your products a fixed location!



**Shelf Divider**


- without product stopper
  - with rear foot for mounting in place
- Material: PET; Colour: transparent; Height: 60 mm

Length: 335 mm
22.0152.7
Length: 385 mm
22.0152.9
Length: 400 mm
22.0152.10
Length: 435 mm
22.0152.12
Length: 485 mm
22.0152.14
Length: 500 mm
22.0152.15
Length: 585 mm
22.0152.19

**Shelf Divider**


- without product stopper
  - with rear foot for mounting in place
- Material: PET; Colour: transparent; Height: 120 mm

Length: 385 mm
22.0159.9
Length: 400 mm
22.0159.10
Length: 435 mm
22.0159.12
Length: 485 mm
22.0159.14
Length: 500 mm
22.0159.15




Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!


Shelf Divider Range "MP" without Break Points




**Shelf Divider**  
- with product stopper "Left"  
- with rear foot for mounting in place  
Material: PET; Colour: transparent; Height: 60 mm  
Length: 400 mm  
**22.0156.1**  
Length: 435 mm  
**22.0156.2**



**Shelf Divider**  
- with product stopper "Centre"  
- with rear foot for mounting in place  
Material: PET; Colour: transparent; Height: 60 mm  
Length: 400 mm  
**22.0157.1**  
Length: 435 mm  
**22.0157.2**




**Shelf Divider**  
- with product stopper "Right"  
- with rear foot for mounting in place  
Material: PET; Colour: transparent; Height: 60 mm  
Length: 400 mm  
**22.0158.1**  
Length: 435 mm  
**22.0158.2**




**Shelf Divider**  
- with product stopper "Left"  
- with rear foot for mounting in place  
Material: PET; Colour: transparent; Height: 120 mm  
Length: 400 mm  
**22.0163.10**  
Length: 500 mm  
**22.0163.15**

Current prices can be found on our website.


**Shelf Divider**  
- with product stopper "Centre"  
- with rear foot for mounting in place  
Material: PET; Colour: transparent; Height: 120 mm  
Length: 400 mm  
**22.0164.10**  
Length: 500 mm  
**22.0164.15**



**Shelf Divider**  
- with product stopper "Right"  
- with rear foot for mounting in place  
Material: PET; Colour: transparent; Height: 120 mm  
Length: 400 mm  
**22.0165.10**  
Length: 500 mm  
**22.0165.15**



**Shelf Divider**  
- without product stopper  
- with rounded front  
- with rear foot for mounting in place  
Material: polycarbonate; Colour: transparent; Height: 200 mm  
Length: 335 mm  
**22.0166.7**  
Length: 400 mm  
**22.0166.10**  
Length: 585 mm  
**22.0166.19**  
Length: 635 mm  
**22.0166.21**



**Shelf Divider**  
- without product stopper  
- with high front  
- with rear foot for mounting in place  
Material: polycarbonate; Colour: transparent; Height: 200 mm  
Length: 335 mm  
**22.0168.7**  
Length: 400 mm  
**22.0168.10**  
Length: 585 mm  
**22.0168.19**  
Length: 635 mm  
**22.0168.21**



Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!





The length of the divider can be adjusted to suit thanks to break points!

Convince yourself of the simple assembly in the video at:  
[vkf.re/ftp-ex](https://vkf.re/ftp-ex)



Shelf Divider Range "MP" with Break Points

Shelf Divider

- can be used for different shelf depths
  - with 8 predetermined break points
- Material: PET; Colour: transparent; Height: 60 mm;  
Height at front: 30mm

Divider without Stopper

- Length: 485 mm; Version: break point every 25 mm from 285 mm  
**22.0195.1**  
Length: 585 mm; Version: break point every 25 mm from 385 mm  
**22.0195.2**

Shelf Divider with Left-Hand Stopper


- Length: 485 mm; Version: break point every 25 mm from 285 mm  
**22.0199.1**  
Length: 585 mm; Version: break point every 25 mm from 385 mm  
**22.0199.2**

Shelf Divider with Center Stopper

- Length: 485 mm; Version: break point every 25 mm from 285 mm  
**22.0200.1**  
Length: 585 mm; Version: break point every 25 mm from 385 mm  
**22.0200.2**

Shelf Divider with Right Stopper

- Length: 485 mm; Version: break point every 25 mm from 285 mm  
**22.0201.1**  
Length: 585 mm; Version: break point every 25 mm from 385 mm  
**22.0201.2**







22.0196.



22.0197.



22.0198.

**Shelf Divider**

- with product stopper
- can be used for different shelf depths
- with 8 predetermined break points

Material: PET; Colour: transparent; Height: 60 mm

**Shelf Divider with Left-Hand Stopper**

Length: 485 mm; Version: break point every 25 mm from 285 mm

22.0196.1

Length: 585 mm; Version: break point every 25 mm from 385 mm

22.0196.2

**Shelf Divider with Centre Stopper**

Length: 485 mm; Version: break point every 25 mm from 285 mm

22.0197.1

Length: 585 mm; Version: break point every 25 mm from 385 mm

22.0197.2

**Shelf Divider with Right-Hand Stopper**

Length: 485 mm; Version: break point every 25 mm from 285 mm

22.0198.1

Length: 585 mm; Version: break point every 25 mm from 385 mm

22.0198.2



22.0209.



22.0210.



22.0211.

**Shelf Divider**

- with product stopper
- can be used for different shelf depths
- with 7 predetermined break points

Material: PET; Colour: transparent; Height: 120 mm

**Shelf Divider with Left-Hand Stopper**

Length: 485 mm; Version: break point every 25 mm from 310 mm

22.0209.1

Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0209.2

**Shelf Divider with Centre Stopper**

Length: 485 mm; Version: break point every 25 mm from 310 mm

22.0210.1

Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0210.2

**Shelf Divider with Right-Hand Stopper**

Length: 485 mm; Version: break point every 25 mm from 310 mm

22.0211.1

Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0211.2

Current prices can be found on our website.



22.0205.



22.0206.



22.0207.



22.0208.

**Shelf Divider**

- can be used for different shelf depths
- with 8 predetermined break points

Material: PET; Colour: transparent; Height: 120 mm; Height at front: 80 mm

**Divider without Stopper**

Length: 485 mm; Version: break point every 25 mm from 310 mm

22.0205.1

Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0205.2

**Shelf Divider with Left-Hand Stopper**

Length: 485 mm; Version: break point every 25 mm from 310 mm

22.0206.1

Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0206.2

**Shelf Divider with Centre Stopper**

Length: 485 mm; Version: break point every 25 mm from 310 mm

22.0207.1

Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0207.2

**Shelf Divider with Right-Hand Stopper**

Length: 485 mm; Version: break point every 25 mm from 310 mm

22.0208.1


Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0208.2





Shelf Divider System "SR"



- ✓ available with and without product stopper
- ✓ different lengths available from 185 mm in 25 mm increments




<b>Shelf Divider</b>	
- without product stopper	
Material: polycarbonate; Colour: crystal clear; Height: 25 mm; Version: clips on at back	
Length: 285 mm	
22.0066.17	
Length: 335 mm	
22.0066.3	
Length: 385 mm	
22.0066.21	
Length: 435 mm	
22.0066.11	

All Shelf Divider Systems "SR" are available on request without the rear clip!

Current prices can be found on our website.



<b>Shelf Divider</b>	
Material: polycarbonate; Colour: crystal clear; Height: 60 mm; Height at front: 30mm; Version: clips on at back	
<b>Divider without Stopper</b>	
Length: 285 mm	
22.0067.10	
Length: 335 mm	
22.0067.14	
Length: 385 mm	
22.0067.18	
Length: 435 mm	
22.0067.22	
<b>Shelf Divider with Left-Hand Stopper</b>	
Length: 285 mm	
22.0068.10	
Length: 335 mm	
22.0068.14	
Length: 385 mm	
22.0068.18	
Length: 435 mm	
22.0068.22	
<b>Shelf Divider with Centre Stopper</b>	
Length: 285 mm	
22.0069.10	
Length: 335 mm	
22.0069.14	
Length: 385 mm	
22.0069.18	
Length: 435 mm	
22.0069.22	
<b>Shelf Divider with Right-Hand Stopper</b>	
Length: 285 mm	
22.0070.10	
Length: 335 mm	
22.0070.14	
Length: 385 mm	
22.0070.18	
Length: 435 mm	
22.0070.22	



Othe lengths available on request from 185 mm in 25 mm increments.

Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!

Shelf Divider System "Perfekta" and "Perfekta MP"

1

Other lengths available on request from 185 mm in 25 mm increments.



22.0074.

Shelf Divider

Material: polycarbonate; Colour: crystal clear; Height: 120 mm; Height at front: 80 mm; Version: clips on at back

Divider without Stopper

Length: 285 mm

22.0074.10

Length: 335 mm

22.0074.14

Length: 385 mm

22.0074.18

Length: 435 mm

22.0074.22

Shelf Divider with Left-Hand Stopper

Length: 285 mm

22.0075.10

Length: 335 mm

22.0075.14

Length: 385 mm

22.0075.18

Length: 435 mm

22.0075.22

Shelf Divider with Centre Stopper

Length: 285 mm

22.0076.10

Length: 335 mm

22.0076.14

Length: 385 mm

22.0076.18

Length: 435 mm

22.0076.22

Shelf Divider with Right-Hand Stopper

Length: 285 mm

22.0077.10

Length: 335 mm

22.0077.14

Length: 385 mm

22.0077.18

Length: 435 mm

22.0077.22

22.0077.



Shelf Divider System "KD"



poly-carbonate

shelf divider with break points

- ✓ flexible due to predetermined break points
- ✓ quality and application proven over many years
- ✓ high stock availability

Shelf Divider

- can be used for different shelf depths
- Material: polycarbonate
- Colour: clear

10 break points

can be shortened to lengths of 460, 435, 410, 360, 330, 290, 240, 220, 190, or 150 mm; size: 510 x 25 mm (L x H)

22.0016.1

6 break points

can be shortened to lengths of 380, 330, 290, 240, 190 or 140 mm; size: 410 x 50 mm (L x H)

22.0017.1


5 break points

can be shortened to lengths of 410, 370, 330, 290 or 250 mm; size: 450 x 60 mm (L x H)

22.0018.1

can be shortened to lengths of 410, 370, 330, 290 or 250 mm; size: 450 x 120 mm (L x H)


22.0019.1




22.0016.



22.0017.



22.0018.



22.0019.


Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!



Bespoke dividers on customer request

... from the idea to the implementation!

- ✓ individual design
- ✓ different materials
- ✓ in-house production incl. toolmaking
- ✓ short reaction times
- ✓ prototyping
- ✓ extensive experience thanks to long-standing employees
- ✓ sustainable production processes





Please ask us!

Current prices can be found on our website.

Stock pushers

... first class check-in for your products!



- ✓ 100% visibility of goods
- ✓ easy removal and filling of goods
- ✓ simple assembly
- ✓ individual adjustment of the pusher strength to the corresponding articles
- ✓ individual adjustment of the pusher lengths to your shelves
- ✓ different combination possibilities

Convince yourself of the application of our product pushers in the video: [vkf.re/wsp-ex](https://vkf.re/wsp-ex)



Other formats can be found at [www.vkf-renzel.com](https://www.vkf-renzel.com)!

Stock Pushers



22.0086.

Stock Pusher Push VI "Narrow"

- with progressive spring strength
- available for all shelf depths
- dimensions of pusher: 27 x 72 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N

Without Product Stopper


Adapter size: 28 x 10 mm (W x H)  
22.0086.

With Half-Height Product Stopper

Adapter size: 27 x 24 mm (W x H)  
22.0256.

With Tall Product Stopper

Adapter size: 28 x 36 mm (W x H)  
22.0257.



22.0256.



22.0257.



22.0089.

Stock Pusher Push VI "Wide"

- with progressive spring strength
- available for all shelf depths
- dimensions of pusher: 40 x 72 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N

Without Product Stopper


Adapter size: 52 x 10 mm (W x H)  
22.0089.

With Half-Height Product Stopper

Adapter size: 52 x 24 mm (W x H)  
22.0258.

With Tall Product Stopper

Adapter size: 52 x 36 mm (W x H)  
22.0259.



22.0258.



22.0259.

Current prices can be found on our website.

Stock Pusher "Push VII"

- with progressive spring strength
- especially suitable for small and narrow products
- available for all shelf depths
- product pusher format: 18 x 60 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N

Without Product Stopper

Adapter size: 17 x 0.7 mm (W x H)  
22.0236.

With Half-Height Product Stopper


Adapter size: 17 x 24 mm (W x H)  
22.0295.

With Tall Product Stopper


Adapter size: 17 x 36 mm (W x H)  
22.0296.



22.0236.



22.0295.



22.0296.

Stock Pusher Push VI "Wide" with 70 ° Stopper

- with progressive spring strength
- available for all shelf depths
- with extra tall product stopper
- slanted (angle 70°)
- dimensions of pusher: 40 x 72 mm (W x H)
- dimensions of adapter: 60 x 71 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N

22.0176.



70°

Stock Pusher "Push VI" Wide with 90° Stopper

- with progressive spring strength
- available for all shelf depths
- with extra tall product stopper
- dimensions of pusher: 40 x 72 mm (W x H)
- dimensions of adapter: 60 x 75 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N


22.0175.



90°


Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!







**Slip Brake**

- for "Perfekta" shelf divider system  
- with 7 predetermined break points  
Colour: transparent; Width: 57 mm; Length: 517 mm  
22.0036.9



**Rear Support**

- for "Perfekta" shelf divider system  
- for individual adjustment of the quantity of goods  
Colour: transparent; Width: 60 mm; Height: 135 mm; Depth: 57 mm  
22.0037.8



**Manual Pusher with Pull Strip**

Material: ABS; Colour: transparent

**Rear Support**

Height: 130 mm; Width: 65 mm  
22.0147.2

**Slip Brake**

Length: 515 mm; Break points: 7; Width: 55 mm  
22.0147.3

**Pull Strip**

Length: 515 mm; Break points: 4  
22.0147.4


Discover the practical function  
in a video at: [vkf.re/rsp-ex](https://vkf.re/rsp-ex)



Current prices can be found on our website.


**Extension for Stock Pusher Push VI "Narrow"**

Material: polystyrene; Material thickness: 1.5 mm;  
Colour: grey similar to RAL 7035; Width: 80 mm;  
Height: 130 mm; Version: 2 rounded corners  
22.0121.1



**Extension for Stock Pusher Push VI "Wide",  
adjusts to 2 positions**

Material: ABS; Material thickness: 2 mm;  
Colour: grey similar to RAL 7035; Width: 80 mm; Height: 130 mm  
22.0121.4



**Adapter Clip for "Push VI + VII"**

- for rear mounting of the pusher  
- suitable for PEK 45 + PEK 25

Height: 9 mm; Material: ABS; Colour: grey similar to RAL 7035

Width: 32 mm; Version: for Push VI

22.0177.1

Width: 19.5 mm; Version: for Push VII

22.0282.1



Other formats can be found at [www.vkf-renzel.com](https://www.vkf-renzel.com)!

## Stock Pusher System Tobacco



### Divider Profile "PEK"

- anchor profile with guide rail for shelf dividers
- available with adhesive tape or magnetic tape

Length: 1000 mm; Width: 13 mm

Colour: transparent; Adhesive: standard adhesive 12 mm

22.0012.33

Colour: white; Adhesive: standard adhesive 12 mm


22.0012.1

Colour: transparent; Magnet: 10 mm magnetic tape

22.0012.141

Colour: white; Magnet: 10 mm magnetic tape

22.0012.54



### Shelf Divider with Centre Stopper

Material: PET; Colour: transparent; Length: 485 mm;  
Height: 60 mm; Height at front: 24 mm;  
Version: break point every 25 mm from 285 mm

22.0200.5

hintere Befestigung mit  
„PEK 25“ und „PEK 45“ (S.6)



### Stock Pusher Push VI "Wide" Tobacco

- with progressive spring strength
- available for all shelves
- with product stopper
- dimensions of pusher: 40 x 72 mm (W x H)
- dimensions of adapter: 39 x 36 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N

22.0369.

Current prices can be found on our website.

## Twin Pusher



- ✓ for smooth and round products (e.g. beverage cans, spice jars, shampoo bottles, creams and deodorants)
- ✓ products remain in the channel
- ✓ shelf divider and pusher are firmly connected

- ✓ orderly presentation of goods
- ✓ evenly divided sales shelf
- ✓ determine the compartment size yourself

### Fixing Rail for Twin Pusher System

- for mounting on an existing PEK rail
- alternatively available with adhesive tape or magnetic tape

Colour: grey similar to RAL 7035; Length: 1000 mm; Width: 40 mm

Adhesive: without

22.0342.14

Adhesive: standard tape 19 mm

22.0342.15



### Extension for Twin Pusher, adjusts to 2 positions

- horizontal or vertical

Material: ABS; Material thickness: 2 mm;  
Colour: grey similar to RAL 7035; Width: 75 mm;  
Height: 45 mm; Version: 4 rounded corners

22.0121.11



Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!





Version centre

### Twin Pusher

- with progressive spring strength
- available for all shelf depths
- dimensions of pusher: 27 x 72 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N

#### Version: left

Adapter size: 27 x 24 mm (W x H)

22.0363.

Adapter size: 27 x 36 mm (W x H)

22.0349.

#### Version: centre

Adapter size: 27 x 24 mm (W x H)

22.0362.

Adapter size: 27 x 36 mm (W x H)

22.0348.


#### Version: right

Adapter size: 27 x 24 mm (W x H)


22.0364.

Adapter size: 27 x 36 mm (W x H)


22.0350.



Version left



Version centre



Version right

Current prices can be found on our website.

## Shelf Divider System "ROS"

| Shelf Dividers | Fixing Rails | Accessories |

2







Shelf Divider System "ROS"




- ✓ clear structure on the shelf
- ✓ optimal air circulation in the cooling system due to openings in the shelf divider
- ✓ flexible due to predetermined break points



22.0324.



22.0322.



22.0325.

Shelf Divider

- can be used for different shelf depths
- with 4 predetermined break points
- can be shortened by the user to lengths of 390, 330, 270 or 240 mm
- Material: polystyrene
- Colour: clear

Size: 450 x 25 mm (L x H)

22.0324.1

Size: 450 x 60 mm (L x H)

22.0322.3

Size: 450 x 140 mm (L x H)

22.0325.3

Current prices can be found on our website.

Shelf Divider System "ROS"

2

Fixing Rail

- front for shelf divider system "ROS"
- available with adhesive tape or magnetic tape

Material: PVC; Colour: white; Length: 1000 mm;  
Width: 20 mm; Adhesive: foam adhesive 19mm  
22.0321.9





for front attachment

Shelf Edge Profile "ROS 39"

- front for shelf divider system "ROS"
- available with adhesive tape or magnetic tape

Insert height: 39 mm; Colour: white; Length: 1000 mm;  
Adhesive: standard tape 19 mm  
22.0340.9



Stopper Rail

- for rear attachment of shelf divider system "ROS"

Material: polyamide; Colour: grey similar to RAL 7016;  
Width: 20 mm; Adhesive: 15 mm gel adhesive

Length: 250 mm

22.0320.3

Length: 500 mm

22.0320.4



for rear attachment

Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!




Shelf Divider System "ROS"

2



Slip Brake "ROS"

- with 7 break points  
Colour: transparent; Width: 57 mm; Length: 512 mm  
22.0036.10



Rear Support

- for individual adjustment of the quantity of goods  
Colour: transparent; Width: 60 mm; Height: 135 mm; Depth: 57 mm  
22.0037.8



Kwickload

- | Kwickload for Hanging |
- | Kwickload for Shelves |

3






## Kwickload - push your products ...

... even without a shelf!

- ✓ organised product presentation
- ✓ ideal for a wide range of packaging sizes
- ✓ highly durable, made of ABS plastic
- ✓ saves time and costs
- ✓ easy assembly
- ✓ automatic product replenishment guaranteed
- ✓ pull-out mechanism with locking paddle enables easy filling with goods
- ✓ dividing elements adapt to the width of the respective products
- ✓ suitable for refrigeration and deep freeze



Discover the new Kwickload system at:  
[vkf.re/klp-ex](http://vkf.re/klp-ex)



Current prices can be found on our website.

## How it works:

### 1 select attachment option




*bracket mount*




*shelf mount*

### 2 select dividers



*partitions*



*wire dividers*

### 3 select fronts




*from small to large, always suitable for your products*

Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!






Kwickload for Hanging




**Kwickload for Hanging**  
Adapter: wide; Adapter size: 98.4 x 139.7 mm (W x H);  
Numbers of pusher: 2 pusher; Version: telescopic  
Material of divider: plastic; Length: 406mm; Spring strength: 6N  
**22.0380.2**  
Material of divider: plastic; Length: 457mm; Spring strength: 8 N  
**22.0380.4**  
Material of divider: wire; Length: 406mm; Spring strength: 8 N  
**22.0380.7**  
Material of divider: wire; Length: 457mm; Spring strength: 8 N  
**22.0380.9**




**Kwickload for Hanging**  
Adapter: wide with insert; Adapter size: 101.6 x 120.7 mm (W x H);  
Numbers of pusher: 1 pusher; Spring strength: 8 N;  
Version: telescopic  
Material of divider: plastic; Length: 406mm  
**22.0381.1**  
Material of divider: plastic; Length: 457mm  
**22.0381.2**  
Material of divider: wire; Length: 406mm  
**22.0381.4**  
Material of divider: wire; Length: 457mm  
**22.0381.5**

Current prices can be found on our website.


**Kwickload for Hanging**  
Adapter: wide high; Adapter size: 10.16 x 16.51 mm (W x H);  
Numbers of pusher: 1 pusher; Spring strength: 8 N;  
Version: telescopic  
Material of divider: plastic; Length: 406mm  
**22.0383.1**  
Material of divider: plastic; Length: 457mm  
**22.0383.2**  
Material of divider: wire; Length: 406mm  
**22.0383.4**  
Material of divider: wire; Length: 457mm  
**22.0383.5**



**Kwickload for Hanging**  
Adapter: narrow with insert; Adapter size: 8.26 x 7.62 mm (W x H);  
Numbers of pusher: 1 pusher; Spring strength: 8 N;  
Version: telescopic  
Material of divider: plastic; Length: 406mm  
**22.0384.1**  
Material of divider: plastic; Length: 457mm  
**22.0384.2**  
Material of divider: wire; Length: 406mm  
**22.0384.4**  
Material of divider: wire; Length: 457mm  
**22.0384.5**




**Kwickload for Hanging**  
Adapter: bottle double; Adapter size: 6.35 x 12.38 mm (W x H);  
Numbers of pusher: 2 pusher; Spring strength: 8 N;  
Version: telescopic  
Material of divider: plastic; Length: 406mm  
**22.0385.1**  
Material of divider: plastic; Length: 457mm  
**22.0385.2**  
Material of divider: wire; Length: 406mm  
**22.0385.4**  
Material of divider: wire; Length: 457mm  
**22.0385.5**



Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!



3



**Kwickload for Hanging**  
Adapter: bottle single; Adapter size: 9.84 x 6.03 mm (W x H);  
Numbers of pusher: 1 pusher; Spring strength: 8 N;  
Version: telescopic  
Material of divider: plastic; Length: 406mm  
**22.0386.1**  
Material of divider: plastic; Length: 457mm  
**22.0386.2**  
Material of divider: wire; Length: 406mm  
**22.0386.4**  
Material of divider: wire; Length: 457mm  
**22.0386.5**




**Kwickload for Hanging**  
Adapter: narrow high; Adapter size: 17.15 x 7.62 mm (W x H);  
Numbers of pusher: 1 pusher; Spring strength: 8 N;  
Version: telescopic  
Material of divider: plastic; Length: 406mm  
**22.0387.1**  
Material of divider: plastic; Length: 457mm  
**22.0387.2**  
Material of divider: wire; Length: 406mm  
**22.0387.4**  
Material of divider: wire; Length: 457mm  
**22.0387.5**



Kwickload for Shelves

Kwickload for Shelves

Adapter: wide; Adapter size: 98.4 x 139.7 mm (W x H);  
Numbers of pusher: 2 pusher; Spring strength: 8 N; Version: fixed  
Material of divider: plastic; Length: 406mm  
**22.0389.1**  
Material of divider: plastic; Length: 457mm  
**22.0389.4**  
Material of divider: wire; Length: 406mm  
**22.0389.8**  
Material of divider: wire; Length: 457mm  
**22.0389.10**



Kwickload for Shelves

Adapter: wide with insert; Adapter size: 101.6 x 120.7 mm (W x H);  
Numbers of pusher: 1 pusher; Spring strength: 8 N; Version: fixed  
Material of divider: plastic; Length: 406mm  
**22.0390.1**  
Material of divider: plastic; Length: 457mm  
**22.0390.2**  
Material of divider: wire; Length: 406mm  
**22.0390.4**  
Material of divider: wire; Length: 457mm  
**22.0390.5**



Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!



3



**Kwickload for Shelves**

Adapter: wide high; Adapter size: 10.16 x 16.51 mm (W x H);  
Numbers of pusher: 1 pusher; Spring strength: 8 N; Version: fixed

Material of divider: plastic; Length: 406mm  
22.0392.1

Material of divider: plastic; Length: 457mm  
22.0392.2

Material of divider: wire; Length: 406mm  
22.0392.4

Material of divider: wire; Length: 457mm  
22.0392.5

**Kwickload for Shelves**

Adapter: narrow with insert; Adapter size: 8.26 x 7.62 mm (W x H);  
Numbers of pusher: 1 pusher; Spring strength: 8 N; Version: fixed

Material of divider: plastic; Length: 406mm  
22.0393.1

Material of divider: plastic; Length: 457mm  
22.0393.2

Material of divider: wire; Length: 406mm  
22.0393.4

Material of divider: wire; Length: 457mm  
22.0393.5

**Kwickload for Shelves**

Adapter: bottle double; Adapter size: 6.35 x 12.38 mm (W x H);  
Numbers of pusher: 2 pusher; Spring strength: 8 N; Version: fixed

Material of divider: plastic; Length: 406mm  
22.0394.1

Material of divider: plastic; Length: 457mm  
22.0394.2

Material of divider: wire; Length: 406mm  
22.0394.4

Material of divider: wire; Length: 457mm  
22.0394.5

Current prices can be found on our website.

**Kwickload for Shelves**

Adapter: bottle single; Adapter size: 9.84 x 6.03 mm (W x H);  
Numbers of pusher: 1 pusher; Spring strength: 8 N; Version: fixed

Material of divider: plastic; Length: 406mm  
22.0395.1

Material of divider: plastic; Length: 457mm  
22.0395.2

Material of divider: wire; Length: 406mm  
22.0395.4

Material of divider: wire; Length: 457mm  
22.0395.5

**Kwickload for Shelves**

Adapter: narrow half-high; Adapter size: 8.89 x 7.62 mm (W x H);  
Numbers of pusher: 1 pusher; Spring strength: 8 N; Version: fixed

Material of divider: plastic; Length: 406mm  
22.0397.1

Material of divider: plastic; Length: 457mm  
22.0397.2

Material of divider: wire; Length: 406mm  
22.0397.4

Material of divider: wire; Length: 457mm  
22.0397.5

**Fixing for Kwickload**

- support bar for the Kwickload system  
- for attachment to Tego shelves

Colour: black, powder coated; Material: metal; Version: for hanging


Length: 1000 mm  
22.0373.5


Length: 1250 mm  
22.0373.6

Length: 1330 mm  
22.0373.7

Other formats can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)!


3





**Accessories for Kwickload**  
- pusher width extension for the Kwickload system  
Width: 130 mm; Height: 104 mm; Colour: black  
22.0372.12

1. Example of use.



Back

Front



# Visit our online shop!



**Direct ordering**  
Enter the item code and order.



**LIVE Support**  
Got a question? We're here to help!



**Innovation**  
Discover our new products.



**Country specific shops**  
We're here for you worldwide!



**Trade specific products**  
Use our suggestions for your field of business





[www.vkf-renzel.com](http://www.vkf-renzel.com)

