











# Shopfitting

We currently offer over 250 different types of shelf edge strip from stock.

Should you require any assistance with our shelf edge strips, you can call us on 02874/910-200. Alternatively, use our product adviser at www.vkf-renzel.com.





# Shelf Edge Strip "DBR"

With adhesive tape and dust cover, Colour: transparent or white

"DBR 39"
For 39 mm high inserts
20.0007.





# Shelf Edge Strip "TE"

For Tegometal shelves, Colour: transparent or white

"TE 39" For 39 mm high inserts **20.0041.** 






# Shelf Edge Strip "GLS"

For 5-10 mm thick glass and wooden shelves, Colour: transparent or white

"GLS 39" For 39 mm high inserts **20.0116.** 





# Shelf Edge Strip "ANT"

For 18-22 mm thick wooden and metal shelves, Colour: transparent or white

"ANT 39"
For 39 mm high inserts
20.0122.

Current prices can be found on our website.

We are constantly developing new profiles and fixings for all types of ESL system. Discover our range along with many other examples of use and solutions in our special catalogue "Fixings for Electronic Price Labels", or on our website www.esl-fittings.com.



# **ESL Profile Type 1 "GLS"**

For 5-10 mm thick glass and wooden shelves, without hinge, available in different colours and for various label types from 1.5" to 7.4"  $^{\circ}$ 

28.0176.

#### ESL-Profile Type 1

Designed for: troniTAG battery labels



#### ESL Profile Type 2 "Wanzl / Wire-Tech" with hinge

For Wanzl and Wire-Tech wire shelves with two horizontal wires, with hinge, for various label types, available in different colours **20.1796.** 

#### ESL Profile Type 2

Designed for: various labels by Displaydata, ses-imagotag G2 (Vusion), Findbox



# ESL Profile Type 5 "Tego"

For Tegometal shelves, without hinge, for various label types, Colour: transparent

28.0402.

#### ESL Profile Type 5

Designed for: various labels by Pricer SmarTAG, Hanshow







#### **Hanging Leaflet Dispenser**

With indent; To stick to a shelf;

Material: rigid PVC;

Material thickness: 0.5 mm; Colour: clear;

Width (inner size): 230 mm; Height (inner size): 230 mm; Depth (inner size): 30 mm; Adhesive: 1 x 25 mm adhesive tape

26.0015.12



# Hanging Leaflet Dispenser "Danube"

With 2 holes;

Material: polystyrene; Colour: clear; Size: A4; Orientation: portrait;

Fill depth: 35 mm

Individual price

**67.0017.1** Pack: 33 pieces

67.0017.1

1. From left to right: 67.0017.1 A4 67.0017.2 A5 67.0017.3 1/3 A4



# 3-Tier Table-Top "Universum" A4

Material: polystyrene; Colour: clear; Size: A4; Orientation: portrait; Fill depth: 30 mm

Titt deptil. 30 mm

Individual price **67.0030.1** 

Pack: 12 pieces

67.0030.1

Current prices can be found on our website.

# Acrylic Pocket "Basic" With 2 holes

Available in portrait or landscape format;

Material: acrylic; Material thickness: 2 mm; Colour: transparent; Insert size: A1; Orientation: portrait

#### 60.0008.1

- 1. With holes
- 2. Without holes







# Display "Magnetica"

2 parts, incl. 8 magnets;

Material: acrylic;

Material thickness: 2x 10 mm; Colour: clear;

Application: for A5 size; Length (outer size): 240 mm; Width (outer size): 178 mm

# 60.0261.1

- 1. Example of use for 60.0261.42 in satin finish
- 2. Example of use for 60.0261.1/.3 in clear











Other models available on our website www.vkf-renzel.com!







# Fixing Set "Oxalis Chrome"

High quality distancer for different sizes of panel. Incl. fixing materials; Pack: 4 pieces.

Material: aluminium; Material thickness: 2-10 mm; Colour: chrome; Head diameter: 13 mm; Distance from wall: 19 mm; Hole diameter required: 8 mm 60.0565.1





# Pastry Display "Solida"

Incl. 3 shelves; Material: acrylic; Material thickness: 5 mm; Colour: clear; Width: 250 mm; Height: 530 mm; Depth: 250 mm

60.0254.1



### **Plastic Dump Bin**

Material: polystyrene; Colour: clear

#### Small Plastic Dump bin

Width: 136 mm; Height: 180 mm;

Depth: 115 mm Individual price

65.0044.2 Pack: 28 pieces

65.0044.2

Large Plastic Dump Bin Width: 170 mm; Height: 210 mm;

Depth: 118 mm

Individual price 65.0044.3

Pack: 24 pieces 65.0044.3

Current prices can be found on our website.

#### **Display Sphere**

Consisting of 2 hemispheres with a rim all round (Width: approx. 15 mm) and a hole; Incl. separate base (with adhesive pad); Colour: clear

Diameter: 300 mm; Material: acrylic; Material thickness: 3 mm; Version: standard; Hole diameter: 12.5 cm

65.0175.1

Display spheres are ideal for use with small items. They can easily be removed by the customer through the hole.



#### **Round Shelf Wobbler**

Material: rigid PVC;

Material thickness: 0.3 mm; Colour: white; Width: 110 mm; Height: 263.5 mm;

Diameter: 105 mm;

Printing process: digital print;

Print status: 1-sided;

Print/motif: as per customer spec.;


Version: round Individual price

**26.0113.1212** Pack: 100 pieces **26.0113.1212** 

Pack: 200 pieces **26.0113.1212** Pack: 300 pieces

26.0113.1212 Pack: 400 pieces 26.0113.1212 Pack: 500 pieces

26.0113.1212





1. Example of contour cut wobbler in use

### Front or Back Strip

For Tegometal shelves;

Material: plastic; Colour: clear; Length: 665 mm; Height: 45 mm; Version: standard **65.0011.1** 

# Divider Strip for Tegometal Shelves

Material: plastic; Colour: clear; Length: 200 mm; Height: 45 mm; Features: without teeth; Version: standard

65.0012.1





#### LED Light Frame "Simple"


Light frame with 25 mm clamp profile. Delivery includes 2 hooks for wall-mounting. Can be fitted in portrait or landscape format.

Material: aluminium / acrylic / PET; Surface: anodised; Colour: silver; Outer size: 624 x 871 mm; Visible size: 573 x 820 mm; Insert size: A1; Depth (outer size): 18 mm; Ilumination: LEDs; Connection: 3.5 m cable with plug; Area: one-sided; Version: without print

10.0430.4

Other sizes available on request.







# **LED Light Frame "Ecomag"**

Light frame with magnetic cover sheet. Delivery includes 2 hooks for wall-mounting. Can be fitted in portrait or landscape format.

Material: aluminium / acrylic; Surface: anodised; Colour of frame: black; Colour of mount: black; Outer size: 634 x 881 mm; Visible size: 576 x 823 mm; Insert size: A1; Depth (outer size): 13 mm; Illumination: LEDs; Connection: 3.5 m cable with plug; Area: one-sided; Version: without print

10.0435.11

Other sizes available on request.



Current prices can be found on our website.



#### **LED Stretch Frame**

High quality textile stretch frame with LED illumination showing individuality and simple elegance. Slim construction. Price without print/banner.

Material: aluminium; Surface: anodised; Colour: silver; Profile: 45 mm; Illumination: LEDs; Light colour: 6000 K (daylight white); Connection: with cable and plug, internal transformer; Cable output: on one long side; Version: one-sided; Finish: with back panel, 4 mm, alu-dibond, white

Size: 420 x 594 mm; Format: A2

10.0489.10

Size: 594 x 841 mm; Format: A1

10.0489.11



#### **Turntable**

Colour: white;

Footprint diameter: 400 mm; Flange diameter: 400 mm; Rotations per minute: 2.5; Maximum central load: 100 kg; Voltage: 230 V; Slip ring contact: present

10.0015.9





# Printed Magnetic Sheet Sign for Tegometal Shelving Systems

The magnetic sheet signs can be applied to all metal shelving systems and can be supplied in single units. We print your digital data. Alongside the classic rectangular sheets we can also cut out shapes. Nearly anything is achievable!

Material thickness: 0.85mm; Colour: 4 colour; Print process: digital print; Assembly: cut to size

Width: 985 mm; Height: 100 mm; Version: for 1000 mm Tego shelves

16.0026.299

Width: 985 mm; Height: 395 mm; Version: for 1250 mm Tego shelves

16.0026.300



#### Aluminium Stretch Frame "26"

The aluminium stretch frame system creates a warm and homely feel with its tensioned textile banner. Main areas of use are e.g. fitness studios, department stores, cinemas and airports. Each frame can be delivered with wall fixings, hangers or feet for freestanding use (these are optional accessories not included as standard).

For profiles of 2500 mm upwards a brace is included for stabilisation. Profile size:  $45 \times 26$  mm (W x D).

Frame depth: 26 mm; Size: 1000 x 2000 mm (W x H); Frame material: aluminium; Frame colour: silver anodised; Version: without digitally printed banner


15.0218.10

#### Banner not included!

1. Also now available for outdoor use



- We can supply B1 certificated banners.
- Individual parts and accessories for this system can be found at www.vkf-renzel.com.



Current prices can be found on our website.



#### **Aluminium Stretch Frame "50"**

Profile size:  $45.9 \times 50 \text{ mm}$  (W x D).

Size:  $5000 \times 3000 \text{ mm}$  (W x H); Frame material: aluminium;

Frame colour: silver anodised; Frame depth: 50 mm

Version: without digitally printed banner and feet

Version: incl. digitally printed banner and 4 feet

15.0219.80





### Aluminium Stretch Frame "17Light"

Profile size:  $21.7 \times 16.8 \text{ mm}$  (W x D).

Frame depth: 17 mm; Frame material: aluminium;


Frame colour: silver; Version: without digitally printed banner

Size: 800 x 2500 mm (W x H)

15.0252.1

Size: 1000 x 1000 mm (W x H)

15.0252.2



- Delivery without banner.
- Other sizes available on request.
- Corresponding digitally printed banner and accessories can be found at www.vkf-renzel.com.

# Stretch Frame System "Cube"

Material: aluminium; Colour: silver anodised; Width: 1000 mm; Height: 1000 mm; Depth: 1000 mm; Hangers: 8 cable holders and 8  $\times$  1.5 m stainless steel cable with eyelet

Version: without digitally printed banner


15.0230.1

Version: incl. 5 digitally printed banners

15.0230.6


Cube also available in other sizes.

Individual parts and accessories for this system can be found at www.vkf-renzel.com.









# Click Frame, 25 mm profile, with mitred corners, silver anodised


- Mitred corners
- Silver anodised upper profile
- Can be fitted in portrait or landscape format
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- With holes in lower profile to screw or hang in place
- Each frame individually packed in a strong box

Frame material: aluminium; Insert size: A1 (594 x 841 mm)

50.0003.1

Insert size: A4 (210 x 297 mm)

50.0003.4







# Click Frame, 25 mm profile, with mitred corners, black anodised

- Mitred corners
- Black anodised upper profile
- Can be fitted in portrait or landscape format
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- With holes in lower profile to screw or hang in place
- Each frame individually packed in a strong box

Frame material: aluminium;

Insert size: A1 (594 x 841 mm)

50.0003.224

Insert size: A4 (210 x 297 mm)

50.0003.227



#### **Dummy TV**

- Black click frame with 25 mm profile, mitred corners
- Frame incl. polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- Upright and oval base powder coated black
- Size: approx. 870 x 675 x 190 mm (W x H x D)

Version: 1-sided;

Frame material: aluminium; Insert size: A1 (594 x 871 mm);

Stand material: aluminium;

Base material: steel;

Minimum order quantity: 20 pieces

50.0209.3

Current prices can be found on our website.

#### Clamp Profile "Unico"

Base in silver anodised aluminium, without promotional panel, incl. anti-slip rubber. Ideal for holding panels of 4-18 mm thick. Easily fixed in place with a star-shaped handle on the underside.

Height: 120 mm; Depth: 430 mm

Clamp width: 100 mm

50.0162.1

Clamp width: 600 mm

50.0162.8

Also available through our in-house production in special sizes for orders of just 1 piece.

- 1. Pictured with accessories:
  - aluminium composite panel
  - leaflet holder











### **Leaflet Stand**

2-sided, with 12 sections for A4 portrait leaflets, 6 shelves measuring 210 x 150 mm and a header board for A4 landscape posters  $\,$ 

Minimum order quantity: 20 pieces


50.0182.5

#### **Presentation Display**

With 4 trays of 300 mm radius, 3 acrylic boxes measuring 200 x 200 x 200 mm and a header board for A4 landscape posters

Minimum order quantity: 20 pieces

50.0182.6



#### FlexiSlot®-Tile

Slatwall system made from plastic with silver anodised aluminium frame. Lightweight and strong.
Several components can be combined seamlessly for a wall-mounted display. The FlexiSlot tile offers many presentation options with a range of standard and therefore cost-effective accessories. Width (outer size): 1000 mm; Height (outer size): 1800 mm
51.0036.1295

The creative element of your sales room or exhibition stand.



Need help with planning? We will be happy to advise you: sales@vkf-renzel.com.



#### Barrier Post "Uno"

Material: metal; Base material: moulded with black plastic cover; Post colour: black; Tape colour: black; Tape length: 3000 mm; Base diameter: 350 mm; Tape width: 50 mm; Total height: 1000 mm; Weight: 10.5 kg

80.1023.3





# Barrier Tape for Wall-Mounting "Guideline"

Tape length: 2300 mm; Tape colour: black; Casing colour: black; Version: Guide 45

80.0018.47

1. Available tape colours for "Guide Barrier Posts". Special colours on request.

Current prices can be found on our website.

# Glass Showcase "1000"

Material: glass; Glass quality: safety glass;

Glass thickness: 6 mm; Profile material: aluminium; Colour: silver; Width: 1000 mm; Height: 2000 mm; Depth: 400 mm; Number of glass shelves: 4;

Version: adjustable; Features: 2 sliding doors with lock; Finish: without cupboard below; Illumination: 2 LED spotlights 2700 K, 7W;

Assembly: assembled

82.0061.2





# EasyCubes "Cubes"

Material: high impact polystyrene; Width: 400 mm; Height: 200 mm; Depth: 400 mm; Print: without;

Weight: 2 kg; Load capacity: up to max. 50 kg

Colour: white, matt

80.1024.2

Colour: black, matt

80.1024.3



# EasyCubes "Floor"

Material: high impact polystyrene; Width: 400 mm; Height; 50 mm;

Depth: 400 mm;

Features: incl. 2 connectors; Weight: 1 kg; Load capacity: up to max 2000 kg

Colour: black, matt

80.1024.4 Colour: white 80.1024.13







# EasyCubes "Cover"

Material: high impact polystyrene; Width: 400 mm; Height: 10 mm; Depth: 400 mm; Print: without; Weight: 0.5 kg; Load capacity: up to max. 2000 kg in conjunction with the "Floor"

Colour: white, gloss

80.1024.1

Colour: black, matt

80.1024.6





