

# NEWS & TRENDS | 2021



**VKF Renzel**

[www.vkf-renzel.com](http://www.vkf-renzel.com)



Main Hub Germany



**VKF Renzel GmbH**  
Im Geer 15  
46419 Isselburg  
Germany



**+49 (0) 28 74 / 910-180**



**+49 (0) 28 74 / 910-111**



**sales@vkf-renzel.com**



**www.vkf-renzel.com**



**Main catalogue - browse 976 pages and get inspired**

**Order your free copy!**

Request online or download the pdf.



[www.vkf-renzel.com/catalogue-order](http://www.vkf-renzel.com/catalogue-order)



**+49 (0) 28 74 / 910-180**



**sales@vkf-renzel.com**

**Dear customer,**

With our News & Trends catalogue this year we present a view of the world of sales promotion and hope to give you inspiration for your own business, product or salesroom with plenty of examples of use.

At EuroShop 2020 we already presented a number of the items shown here such as the Kwickload System, Clear Line Frame, POS Cooler or the FlexiPower and FlexiDeco ranges.

The Coronavirus pandemic changed everyone's focus after that.

We were able to offer and create a multitude of solutions from our range under the heading of "Protect, Guide, Inform" which supported working and selling under current circumstances.

In 2021 our attention is drawn back to POS. There are many suggestions for this in "News & Trends". In addition you can find our 2020/2021 main catalogue at [www.vkf-renzel.com](http://www.vkf-renzel.com).

*Discover our range!*



For 2021 we wish you a pleasant year with steady business.  
**Stay healthy - and successful!**

With kind regards from Westmünsterland.



From left to right: Ansgar Hügging, Joachim Ostendorf, Heinz Renzel  
(photo from 2019)

### Contents

Frame Systems for Indoors and Outdoors with and without lighting.....	6 – 23
Product Display System "FlexiSlot" .....	24 – 33
Wall Panels "FlexiDeco" .....	34 – 39
Shelf Lighting System "FlexiPower".....	40 – 45
Shelf Organisation and Pricing .....	46 – 60
Digital Pricing .....	61
EasyCubes .....	62 – 71
POS Cooler .....	72 – 75
Frame System "Clear Line" .....	76 – 79
Protect / Guide / Inform .....	80 – 93
Leaflet Stands .....	94 – 99
Sustainability in Sales Promotion .....	100 – 111
Automated Sales .....	112 – 118

































# Global network

There for you worldwide!

- ✓ represented in over 26 countries
- ✓ 870 staff
- ✓ over 35 years experience
- ✓ The VKF Group includes production sites, subsidiaries and partners reaching from the USA across Europe to China.




 <b>VKF Renzel GmbH</b> <a href="http://www.vkf-renzel.de">www.vkf-renzel.de</a> <a href="mailto:info@vkf-renzel.de">info@vkf-renzel.de</a>	 <b>VKF Renzel GmbH</b> <a href="http://www.vkf-renzel-erfurt.de">www.vkf-renzel-erfurt.de</a> <a href="mailto:verkauf@vkf-renzel-erfurt.de">verkauf@vkf-renzel-erfurt.de</a>	 <b>VKF Renzel Netherlands</b> <a href="http://www.vkf-renzel.nl">www.vkf-renzel.nl</a> <a href="mailto:info@vkf-renzel.nl">info@vkf-renzel.nl</a>	 <b>VKF Renzel United Kingdom</b> <a href="http://www.vkf-renzel.co.uk">www.vkf-renzel.co.uk</a> <a href="mailto:sales@vkf-renzel.co.uk">sales@vkf-renzel.co.uk</a>	 <b>VKF Renzel Poland</b> <a href="http://www.vkf-renzel.pl">www.vkf-renzel.pl</a> <a href="mailto:info@vkf-renzel.pl">info@vkf-renzel.pl</a>
 <b>VKF Renzel Austria</b> <a href="http://www.vkf-renzel.at">www.vkf-renzel.at</a> <a href="mailto:info@vkf-renzel.at">info@vkf-renzel.at</a>	 <b>VKF Renzel Turkey</b> <a href="http://www.vkf-renzel.com.tr">www.vkf-renzel.com.tr</a> <a href="mailto:pazarlama@vkf-renzel.com.tr">pazarlama@vkf-renzel.com.tr</a>	 <b>VKF Renzel USA</b> <a href="http://www.renzelsusa.com">www.renzelsusa.com</a> <a href="mailto:sales@renzelsusa.com">sales@renzelsusa.com</a>	 <b>VKF Renzel Slovenia</b> <a href="http://www.vkf-renzel.si">www.vkf-renzel.si</a> <a href="mailto:info@vkf-renzel.si">info@vkf-renzel.si</a>	 <b>VKF Renzel Russia</b> <a href="http://www.vkf-renzel.ru">www.vkf-renzel.ru</a> <a href="mailto:vkf@vkf-renzel.ru">vkf@vkf-renzel.ru</a>
 <b>VKF Renzel Greece</b> <a href="http://www.vkf-renzel.gr">www.vkf-renzel.gr</a> <a href="mailto:info@vkf-renzel.gr">info@vkf-renzel.gr</a>	 <b>VKF Renzel Hungary</b> <a href="http://www.vkf-renzel.hu">www.vkf-renzel.hu</a> <a href="mailto:info@vkf-renzel.hu">info@vkf-renzel.hu</a>	 <b>VKF Renzel Bulgaria</b> <a href="http://www.vkf-renzel.bg">www.vkf-renzel.bg</a> <a href="mailto:info@vkf-renzel.bg">info@vkf-renzel.bg</a>	 <b>VKF Renzel Czech Republic</b> <a href="http://www.vkf-renzel.cz">www.vkf-renzel.cz</a> <a href="mailto:info@vkf-renzel.cz">info@vkf-renzel.cz</a>	 <b>VKF Renzel China</b> <a href="http://www.vkf-china.cn">www.vkf-china.cn</a> <a href="mailto:info@vkf-china.cn">info@vkf-china.cn</a>
 <b>VKF Renzel Italy</b> <a href="http://www.vkf-renzel.it">www.vkf-renzel.it</a> <a href="mailto:info@vkf-renzel.it">info@vkf-renzel.it</a>	 <b>VKF Renzel France</b> <a href="http://www.vkf-renzel.fr">www.vkf-renzel.fr</a> <a href="mailto:info@vkf-renzel.fr">info@vkf-renzel.fr</a>	 <b>VKF Renzel Ukraine</b> <a href="http://www.vkf-renzel.com.ua">www.vkf-renzel.com.ua</a> <a href="mailto:info@vkf-renzel.com.ua">info@vkf-renzel.com.ua</a>	 <b>VKF Renzel Baltic States</b> <a href="http://www.vkf-renzel.com">www.vkf-renzel.com</a> <a href="mailto:rup@vkf-renzel.com">rup@vkf-renzel.com</a>	 <b>VKF Renzel Denmark</b> <a href="http://www.vkf-renzel.dk">www.vkf-renzel.dk</a> <a href="mailto:info@vkf-renzel.dk">info@vkf-renzel.dk</a>
 <b>VKF Renzel North Macedonia</b> <a href="http://www.vkf-renzel.mk">www.vkf-renzel.mk</a> <a href="mailto:info@vkf-renzel.mk">info@vkf-renzel.mk</a>	 <b>VKF Renzel Romania</b> <a href="http://www.vkf-renzel.ro">www.vkf-renzel.ro</a> <a href="mailto:vanzari@vkf-renzel.ro">vanzari@vkf-renzel.ro</a>	 <b>VKF Renzel Cyprus</b> <a href="http://www.vkf-renzel.gr">www.vkf-renzel.gr</a> <a href="mailto:info@vkf-renzel.gr">info@vkf-renzel.gr</a>	 <b>VKF Renzel Serbian</b> <a href="http://www.vkf-renzel.rs">www.vkf-renzel.rs</a> <a href="mailto:info@vkf-renzel.rs">info@vkf-renzel.rs</a>	 <b>PDS PETER HANDELS AG</b> <a href="http://www.pds.ag">www.pds.ag</a> <a href="mailto:info@pds.ag">info@pds.ag</a>
 <b>LUIS &amp; CASTRO, LDA.</b> <a href="http://www.vkf-renzel.pt">www.vkf-renzel.pt</a> <a href="mailto:geral@luiscastrollda.com">geral@luiscastrollda.com</a>	 <b>Misue Soluciones Globales, S.L.</b> <a href="http://www.vkf-renzel.es">www.vkf-renzel.es</a> <a href="mailto:info@misue.es">info@misue.es</a>	 <b>OÜ Nordic Plast</b> <a href="http://www.nordicplast.ee">www.nordicplast.ee</a> <a href="mailto:info@nordicplast.ee">info@nordicplast.ee</a>	 <b>Nitton 93 Inredningar AB</b> <a href="http://www.nitton93.se">www.nitton93.se</a> <a href="mailto:vkf-renzel@nitton93.se">vkf-renzel@nitton93.se</a>	 <b>Nitton 93 Innredninger AS</b> <a href="http://www.nitton93.no">www.nitton93.no</a> <a href="mailto:vkf-renzel@nitton93.se">vkf-renzel@nitton93.se</a>



# Frame Systems

*... advertise in the right frame!*

- ✓ Outdoor and indoor systems
- ✓ Simple and fast banner change
- ✓ Available in custom sizes
- ✓ Sleek design
- ✓ Ideal for large scale advertising
- ✓ All systems available with digitally print banner on request
- ✓ Easy assembly with supplied assembly instructions
- ✓ Frame also available with LED lighting
- ✓ Different frame depths
- ✓ Different frame colours





## Indoor systems for wall mounting ...

*... a real eyecatcher on your wall!*



### Aluminium Stretchframe for Wallmounting

Use the aluminium stretch frame to mount a banner with your desired print. The stretchframe is attached by simply screwing it to the wall. The banner is fitted by inserting the flat welt sewn on all sides into the aluminium profile. On request, we can supply a custom printed banner too.

Frame material: aluminium; Surface: anodised; Frame colour: silver

#### Aluminium Stretch Frame "15"

Frame size: 1000 x 2000 mm (W x H); Frame depth: 15 mm;  
Finish: incl. holes, without digitally printed banner  
15.0282.3

#### Aluminium Stretch Frame "19"

Frame size: 1000 x 2000 mm (W x H); Frame depth: 19 mm;  
Finish: incl. holes, without digitally printed banner  
15.0283.3

#### Aluminium Stretch Frame "27"

Frame size: 2000 x 2000 mm (W x H); Frame depth: 27 mm;  
Finish: without digitally printed banner  
15.0284.1

### Available frame colours:



silver



black



white



RAL





## Freestanding indoor systems ...

... and a flexible advertising space is created!



### Aluminium Stretchframe "44", free-standing

Use the Aluminium Stretchframe "44" to clamp two banners with your desired print. As a room divider it creates discretion, dampens the acoustics and serves as a privacy screen. It also offers an advertising space that you can move and exchange as required. The freestanding display is easy to assemble and gets its necessary stability through the angled feet. The banners are stretched crease-free on both sides by inserting the flat welt sewn on all sides into the aluminium profile. On request, we can supply two custom printed banners together with the stand.

Frame size: 3000 x 2000 mm (W x H); Frame depth: 44 mm;  
Finish: incl. 2 angle feet and 1 base plate; Support: vertical;  
Version: without digitally printed banner

15.0285.22



### Available frame colours:



silver



black



white



RAL

Our whole Stretchframe range can  
be found in our online shop:  
[vkf.de/tr-en](http://vkf.de/tr-en)



## TVs for your salesroom ...

... for a real shopping experience!

### Stretchframe TV Dummy

- High quality solution for your furniture store
- Modern flatscreen look due to a narrow profile
- Standard and custom print possible
- Easy application of the banner by pressing the sewn-on plastic lip into the profile
- Flexibility through changeable print
- Wallmounted version can be directly screwed on through existing drill holes
- Freestanding with elegant TV stand
- Including assembly instructions

Frame material: aluminium; Frame colour: black anodised;  
Size: 1042 x 608 mm (W x H)

### for wallmounting, incl. standard motif

Frame depth: 17 mm;  
Version: incl. profile holes and standard TV banner  
15.0245.17

### freestanding, incl. standard motif

Frame depth: 34 mm;  
Version: incl. base plate and standard TV banner  
15.0245.13



Easy to mount  
banners!





## LED indoor systems for wall mounting ...

...bring light to your wall!



### LED Stretchframe "Lumos", single-sided

Position this tension frame in a shop, restaurant, business or showroom!

Material: aluminium; Surface: anodised;  
 Colour: silver; Profile: 50 mm; Illumination: LED module;  
 Technics: back wall lighting; Light colour: 6.000 K (daylight white);  
 Dimmable: no; Connection: with cable and plug, internal transformer;  
 Cable output: on the short side; Back panel: 3 mm Alu-Dibond,  
 white; Fixing: wall-mounting; Finish: without print;  
 Coverage: one-sided

Size: 1000 x 2000 mm

10.0514.37

Size: 2000 x 2000 mm

10.0514.133



### Available frame colours:



silver



black



white



RAL


Other LED systems can be found  
 in our online shop:  
[vkf.de/led-en](http://vkf.de/led-en)





## LED indoor systems doublesided ...

... and a flexible advertising space is created!



### LED Light Wall "Lumos" doublesided

The choice for colour intensive advertising! With the light frame "Lumos" you are ready for your promotiona without hanging or drilling holes! Two strong bases for stability.

Material: aluminium; Surface: anodised; Colour: silver;  
Illumination: LED module; Technics: edge lit;  
Light colour: 6.000 K (daylight white); Dimmable: no;  
Connection: with cable and plug; Cable output: on the short side;  
Finish: without print; Coverage: double-sided;  
Features: including 2 bases

Size: 2000 x 2000 mm; Profile: 100 mm


10.0517.133

Size: 3000 x 2000 mm; Profile: 200 mm

10.0520.163



Custom sizes available. Delivered dismantled.



### Available frame colours:



silver



black



white



RAL





## Outdoor systems for wall mounting ...

*... a real eyecatcher on your wall!*

### Aluminium Stretchframe Outdoor

The frame, specially designed for outdoor use, can easily be fitted with a banner with your desired print motif. The flat piping sewn on all sides is simply inserted into the aluminium profile and the banner is held in place without creases. For additional protection against dirt and vandalism, a hinged cover profile is attached, which also prevents the banner from slipping out. The weather resistant frame is fastened to the facade by simply screwing it on. On request, the profile can be pre-drilled and a custom printed banner delivered with it.

Frame material: aluminium; Surface: anodised; Frame colour: silver;  
Outer frame size: 3000 x 2000 mm (W x H); Frame depth: 90 mm;  
Banner size: 2995 x 1995 mm (W x H); Hanger: without;  
Version: without digitally printed banner  
15.0281.4

### Available frame colours:



silver

RAL





## bannergear™ - Frame for wall mounting



Watch our video  
about this product:  
[vkf.de/bg-en](http://vkf.de/bg-en)



### bannergear™ "Wall"

The patented bannergear system creates a completely new and cost-effective solution for indoor and outdoor advertising with banners. The eyeleted digitally printed banner is attached to the cable installed in the frame by means of snap hooks. Depending on the direction of rotation of the crank, the banner can then either be pulled down to change or tensioned in place. The maximum frame size is 6000 x 3000 mm (W x H). The banner is not included in the delivery. A custom printed banner can be supplied on request.

Frame material: aluminium; Surface: anodised;  
Frame colour: silver; Frame depth: 96 mm;  
Finish: incl. cable, carabiner and removable handle;  
Version: for direct wall-mounting

Frame width (outer size): 3000 mm;  
Frame height (outer size): 1500 mm;  
Banner size: 2800 x 1300 mm (W x H);  
Size of visible area: 2720 x 1220 mm (W x H)

15.0262.6

Frame width (outer size): 4000 mm;  
Frame height (outer size): 2000 mm;  
Banner size: 3800 x 1800 mm (W x H);  
Size of visible area: 3720 x 1720 mm (W x H)

15.0262.4

Frame width (outer size): 6000 mm;  
Frame height (outer size): 3000 mm;  
Banner size: 5800 x 2800 mm (W x H);  
Size of visible area: 5720 x 2720 mm (W x H)

15.0262.1

Systems incl. LED backlighting can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)

Available frame colours:



silver



black



RAL





## Outdoor signage

### Sign System "Techno"

The sign system Techno is a real eye-catcher in the outdoor area. Depending on the area of application, the stand can be equipped with aluminium composite panels on one or two sides. On request we deliver the signs with your individual print motif directly with the stand. Two concreting bases are included in the scope of delivery, with which you can set the system in concrete in your ground. The aluminium composite signs are easily attached to the system with the help of the pull-in nuts and screws.


Material: steel; Size of profile: 60 / 60 x 4 mm;  
Surface: hot-dip galvanised; Colour: silver;  
Frame width: 500 mm; Total height above ground: 3500 mm;  
Distance from ground: 500 mm;  
Version: incl. concreting base for concreting in

Sign size: 500 x 3000 mm (W x H);  
Features: single-sided without digitally printed sign;  
Finish: profile 1-sided incl. screw-in nuts and screws

15.0288.1

Sign size: 2x 500 x 3000 mm (W x H);  
Features: double-sided without digitally printed signs;  
Finish: profile 2-sided incl. screw-in nuts and screws

15.0288.2



## LED Outdoor Signage

*... remain visible even in the dark!*

### Outdoor Display "Frankfurt LED"

This display stands out even in the dark. It is fitted by means of steel reinforcing tubes (ø 74 mm, galvanised) which are included in the delivery and are concreted 500 mm into the foundation.

Material: aluminium / steel / plastic; Surface: anodised;  
Colour: silver / white; Colour of lid: slate grey (RAL 7015);  
Colour of base: slate grey (RAL 7015);  
Outer size: 1085 x 2000 mm (W x H);  
Size of writeable area: 890 x 2000 mm (W x H);  
Lettering: without; Illumination: LEDs;  
Wind load zone: 2 with 25.0 m/s

12.0003.88

Other LED displays for  
outdoor use can be found at:  
[vkf.de/lb-en](http://vkf.de/lb-en)







### Inox Stand "Curved 60" with flange

The elegant display systems made of stainless steel are perfectly suited for the entrance area. The polished surface looks modern and timeless. The stand is suitable for signs with a thickness of 2 to 8 mm. Additional sign holders are available at extra cost. On request, several signs can also be fixed in the holder. The sign is not included in the delivery. Please note that for the respective total height of the version 'for setting in concrete' an additional 600 mm is to be understood. This part counts as part of the foundation and not as visible height.

Material: stainless steel; Tube diameter: 60 mm;  
Total height: 925mm; Fixing: incl. sign holder;  
Features: with flange (for dowelling);  
Illumination: without; Sign width: 1500 mm;  
Sign height: 800 mm  
**15.0280.2**

### INOX Display "Curved 42"

Material: stainless steel; Tube diameter: 42.4 mm;  
Total height: 1000 mm; Fixing: incl. sign holder;  
Sign width: 750 mm; Sign height: 500 mm

#### for concreting in

Features: tube extension (for concreting in); Illumination: without  
**15.0271.75**

#### with flange

Features: with flange (for dowelling); Illumination: without  
**15.0271.237**

#### with flange, lit on 1 side

Features: with flange (for dowelling); Illumination: one-sided  
**15.0271.291**



### INOX Display "Crossed 42"

Material: stainless steel; Tube diameter: 42.4 mm;  
Total height: 1000 mm; Fixing: incl. sign holder;  
Sign width: 750 mm; Sign height: 500 mm

#### for concreting in

Features: tube extension (for concreting in); Illumination: without  
**15.0273.33**

#### with flange

Features: with flange (for dowelling); Illumination: without  
**15.0273.195**

#### with flange, lit on 1 side

Features: with flange (for dowelling); Illumination: one-sided  
**15.0273.249**



Lit on  
1 side




# FlexiSlot®

... offers limitless possibilities!

- ✓ Modular plastic slatwall system
- ✓ Limitless possibilities in product presentation
- ✓ Extensive standard range
- ✓ Implementation of individual customer requirements possible
- ✓ In-house production
- ✓ Highest quality and quick turnaround
- ✓ Ideal for the design of your salesroom or exhibition stand
- ✓ Wide range of slatwall accessories available

↙  
Set yourself apart  
from the masses!






## The modular slatwall presentation system ...


... create your sales room!

# FlexiSlot®



Watch our video on the advantages and easy assembly at:  
[flexislot.com](http://flexislot.com)



- ✓ FlexiSlot® systems are available as:
  - wall elements
  - floor displays
  - counter displays
  - modular components
- ✓ using our own production, custom versions as well as standards can be created
- ✓ flexible presentation of goods and products with extensive accessories
- ✓ RENA version available on request 
- ✓ many standard colours
- ✓ special RAL colours available from 500 metres



Like the colour?

### FlexiSlot® Tile

Slatwall system with silver anodised aluminium frame. Light and strong! Several components can be seamlessly linked to create a wall display. The FlexiSlot tiles can be fitted with the wide range of standard and cost-effective accessories.


Version: 1-sided;  
FlexiSlot colour: traffic white, similar to RAL 9016;  
Width (outer): 1000 mm; Height (outer): 1800 mm  
51.0036.1294



1. Also available as a hanging tile (51.0055.73).
2. Available in many colours of profile: visit our online shop!
3. Example of use at Woolworth.



Can be made in custom sizes!  
We are happy to advise you at:  
[sales@vkf-renzel.com](mailto:sales@vkf-renzel.com)






## FlexiSlot® Tower "Construct Slim"

This slatwall display has plenty of space on both sides to display your products. The frame in silver anodised aluminium profile "Construct" is held together with plastic corner connectors. The powder coated steel bases screw on at the sides. The frame profile can have slits cut in to it to add a header board or panels at the sides. Please ask for a quote on printing.

Version: 2-sided; FlexiSlot colour: traffic white, similar to RAL 9016;  
Width: 500 mm; Useable FlexiSlot width: 430 mm;  
Height: 1800 mm; Depth: 450 mm  
**51.0238.57**

1. Please note that the height at which the channel of the FlexiSlot slatwall system sits can vary (height difference: approx. 25 mm).
2. Available in many colours of profile: visit our online shop!



Now available in further standard  
versions: Construct "Ellipse" (51.0238.72)  
[vkf.de/ce-en](https://vkf.de/ce-en)



## FlexiSlot® Shelf System "Quattro"

Lightweight shelving system consisting of FlexiSlot plastic slatwall profiles that can be used on one side. Frame made of strong aluminium "Quattro" profile with silver anodised surface. Base incl. 4 castors (ø 75 mm) and screwed on wooden plate in white. The versatile "Quattro" frame profile offers the possibility of connecting several elements as well as extension with "Quattro" range accessories.

Width: 1000 mm; Useable FlexiSlot width: 900 mm;  
Height: 1800 mm


FlexiSlot colour: pure white similar to RAL 9010;  
Depth: 400 mm; Application: for use on the wall

**51.0152.6**

FlexiSlot colour: anthracite grey similar to RAL 7016;  
Depth: 500 mm; Application: freestanding

**51.0152.150**

1. Available in different profile colours.



Discover our FlexiSlot® Exhibition  
System "Quattro" (51.0179.1) at:  
[vkf.de/mq-en](https://vkf.de/mq-en)





## FlexiSlot®-Tower „York“

Advertising in the blink of an eye!

### FlexiSlot® Tower "York"

With its 4-sided display option this plastic slatwall tower offers plenty of space. The silver anodised aluminium edges give the display an unobtrusive frame.

FlexiSlot colour: traffic white, similar to RAL 9016;  
Width: 276 mm; Depth: 276 mm; Material of base: steel;  
Colour of base: silver similar to RAL 9006; Base diameter: 400 mm

Height: 1820 mm; Rotating fixture: no

51.0037.281


Height: 1830 mm; Rotating fixture: yes

51.0037.296


1. Also available with black steel base.
2. With marble base and extension option with rotating component.
3. Underneath view: rotating component incl. scratch preventor.



Also available as pillar covering.



Available in many colours of profile: visit our online shop!



### FlexiSlot® Presentation Tower "York"

- Great for product presentation and display
- Versatile and usable in different configurations

FlexiSlot colour: anthracite grey similar to RAL 7016;  
Width: 276 mm; Height: 1820 mm; Depth: 276 mm;

#### Accessories:

- 4x hemisphere display ø 200 mm (65.0091.1)
- 2x acrylic pockets A4 vertical (60.0152.92)
- 4x clip-on trays 250 x 250 mm, W x D (60.0264.43)
- 2x universal holders (60.0348.8)
- 4x brochure hangers A4 vertical (67.0003.4)

51.0119.16



Our NEW sets!

58.0017.

1

rotating

### FlexiSlot® Presentation Tower "York Rotation"

- versatile product display with rotating function
- adjustable attachment of double hooks
- tower available in various RAL colours

FlexiSlot colour: anthracite grey similar to RAL 7016;  
Width: 276 mm; Height: 1830 mm; Depth: 276 mm;

#### Accessories:

- 32x slatwall double-hooks 150 mm (58.0017.2)

51.0119.17

1. Slatwall hooks in different sizes and finishes can be found in our online shop!

Discover other customised accessories in our video at:

[vkf.de/fy-en](https://vkf.de/fy-en)





## Accessorise your FlexiSlot® Systems ...

...with matching accessories!



### Acrylic Pocket "Luna" for FlexiSlot®

High quality acrylic pocket to display inserts.

Material: acrylic; Material thickness: 2 mm; Colour: crystal clear

Size: A4 portrait


60.0152.92

Size: A5 portrait

60.0152.93

Size: A6 portrait

60.0152.94



### Wall-Mounted Leaflet Holder "Perfect"

The curved shape prevents leaflets from flopping forward.

Material: polystyrene; Colour: crystal clear; Orientation: portrait

Size: A4; Fill depth: 40 mm

67.0003.4

Size: A5; Fill depth: 30mm

67.0003.5

Size: 1/3 A4; Fill depth: 30mm

67.0003.6

1. The matching hanger (65.0030.1) can be found in our online shop.

### FlexiSlot® Universal Holder

Material: acrylic; Material thickness: 3 mm;  
Colour: crystal clear; Width (inside): 150 mm;  
Height: 200 mm; Fill depth: 35 mm  
60.0348.8

### FlexiSlot® Hanging Tray "Lobelia"

With sides folded upwards; Tray to hang in FlexiSlot slatwall systems;

Material: acrylic; Material thickness: 3 mm;  
Colour: crystal clear; Height (inside): 32 mm;  
Fill depth: 242 mm

Ideal for use with Tower "Slim".

Width: 200 mm

60.0423.94

Width: 250 mm

60.0423.95

1. Steel tray can be found in our online shop (51.0204.).

### Display Hemisphere "Acanthus"

For slatwall; 2 parts; consists of a hemisphere and wire holder


Diameter: 200 mm

65.0091.1

Diameter: 300 mm

65.0091.2

Our whole range can be found at  
[vkf.de/fz-en](https://vkf.de/fz-en)





# FlexiDeco Wall Panels

... the creative wall display!

- ✓ high degree of individuality - we will be happy to advise you!
- ✓ decorative and functional
- ✓ flexibility in construction and conversion
- ✓ easy fitting
- ✓ can be custom printed
- ✓ wide assortment
- ✓ versatile expansion options
- ✓ compatible with FlexiSlot® slatwall system




Discover more now at:  
[vkf.de/flexideco-en](https://vkf.de/flexideco-en)





## Modern wall display ...

... step by step to an optical highlight!



FlexiDeco Stylepad including Functional

With the simple suspension system, installation, replacement and extension are possible.

There are 3 types of "FlexiDeco" wall panel:

- The basic panel **FlexiDeco Frame** forms the basis for the various combinations. The black plastic element is securely screwed to the wall. The basic panel can be extended with further panels as required using the connectors supplied.
- The decorative **FlexiDeco Stylepad** panels create the design of the wall surface. They are hooked onto the basic panels by means of an integrated holder. Stylepads can be supplied in different surfaces and colours. We also provide some components on request with a custom print.
- The **FlexiDeco Functionals** offer even more possibilities in the design of a creative wall solution. In combination with the Stylepads, for example, shelves, hanging hooks or decorative clocks become eye-catching.

### FlexiDeco-Frame


#### FlexiDeco-Frame

Material: plastic; Colour: black; Sizes: 600 x 600 mm (W x H);  
Features: 1 connecting piece incl. screws (without dowels)  
51.0298.1

## FlexiDeco-Stylepads

The decorative elements are attached to the base panels with integrated hanging plates.

600 x 600 mm



51.0299.1

Upper material: velour fabric  
Colour: ivory  
51.0299.1



51.0300.1

Upper material: padded;  
Colour: diamond greige  
51.0300.1



51.0310.1


Upper material: fiber;  
Colour: merino  
51.0310.1

1200 x 600 mm




51.0302.1

Upper material: metal;  
Colour of upper material: silver  
51.0302.1



51.0301.2

Upper material: vinyl;  
Colour: structure  
elephant grey  
51.0301.2



51.0302.2

Upper material: metal;  
Colour: knitted bronze  
51.0302.2



51.0303.1

Upper material: stone;  
Colour: concrete  
51.0303.1



51.0304.1

Print method: digital print;  
Print / motif: to customer specification  
51.0304.1



51.0310.1

Upper material: vinyl;  
Colour: cube structure  
pearl grey  
51.0301.1

FlexiSlot profiles available in different colours!



51.0305.5

FlexiSlot colour: stone effect  
51.0305.5




FlexiDeco-Functionals

Extend your creation with functional elements.



51.0307.1

Version: mirror;  
Diameter: 280 mm;  
Features: with black  
leather band  
51.0307.1




51.0311.1

Version: pinboard;  
Colour: grey;  
Sizes: 600 x 600 mm (W x H)  
51.0311.1



51.0308.1

Version: clock;  
Features: black hands  
51.0308.1



51.0309.1

Version: presentation  
pockets; Colour: grey;  
Sizes: 600 x 600 mm (W x H)  
51.0309.1



51.0309.2

Version: bar with hooks;  
Material: metal;  
Colour: black;  
Width: 600 mm  
51.0309.2



51.0309.3

Version: loops; Colour: black  
51.0309.3



51.0309.4

Version: presentation  
straps; Colour: black  
51.0309.4



51.0309.5

Version: shelf left;  
Material: metal;  
Colour: black;  
Width: 450 mm;  
Height: 300 mm;  
Depth: 200 mm  
51.0309.5





# FlexiPower


## Shelf lighting system

- ✓ easily fitted with magnets
- ✓ residue-free removal
- ✓ custom adaptation to every type of shelf
- ✓ casing and rails can be made in other colours
- ✓ use of energy-saving LEDs
- ✓ modular system can be extended
- ✓ several LED rails can be configured in a row
- ✓ reverse polarity protection





## Set the scene for your products!



### Our clever FlexiPower magnetic system:

- Place the thin and magnetic busbar **A** anywhere on the shelf, even behind the shelf

### Fits on your shelf:

- The magnetic distribution boxes **B** are height adjustable without power interruption

### Space and time saving:

- Double benefit: The distribution box **B** has 2 power connections

*FlexiPower -  
light to success!*

### Always neat:

- The connecting cables **C** can be laid inconspicuously under the shelf thanks to the magnetic cable holders **D**

### Super bright and energy saving:

- Our LED strips **E** are efficient and durable, and can be ordered in different lengths and light colours

**A** power rail, 10.0512.15

**B** junction box, 10.0512.16

**C** connecting cable, 10.0512.26

**D** cable holder, 10.0512.14



**E** LED strips, 10.0231.363

**F** power supply unit, 10.0086.126





## Discover our Lighting Sets!



Watch our video  
on easy assembly at:  
[vkf.de/fm-en](https://vkf.de/fm-en)





### Shelf Lighting Set "FlexiPower" Mini

#### The set consists of:

- 1x power rail (10.0512.15)
- 1x power supply unit (10.0086.126)
- 4x LED strips each 950 mm (10.0231.363)
- 4x magnetic clips (10.0512.14)
- 4x distribution box (10.0512.16)
- 4x connection cable 600 mm (10.0512.26)

Designed for: 1 gondola; Fixing: magnetic;  
Connection: 230 V; Voltage [V]: 24 V;  
Light technology: LED; Power input [W]: 38 W  
**10.0526.1**



8 shelves  
1 split

### Shelf Lighting Set "FlexiPower" Midi

#### The set consists of:

- 1x power rail (10.0512.15)
- 1x power supply unit (10.0086.126)
- 8x LED strips each 950 mm (10.0231.363)
- 8x magnetic clips (10.0512.14)
- 4x distribution box (10.0512.16)
- 8x connection cable 600 mm (10.0512.26)


Designed for: 2 shelf sections; Fixing: magnetic;  
Connection: 230 V; Voltage [V]: 24 V;  
Light technology: LED; Power input [W]: 76 W  
**10.0526.2**



# Shelf Organisation

*First class check-in for your products!*

- ✓ Shelf organisation and labelling:
  - Shelf dividers
  - Shelf edge profiles
- ✓ Stock pusher systems
- ✓ Perfect orientation
- ✓ Optimum visibility
- ✓ Simple removal and restocking of products
- ✓ Possibilities for cooling and deep-freezing
- ✓ Digital price labelling





Eliminate chaos on the shelf...

... and create order!

Before

After



Shelf Divider System "MP"

... give your products a fixed space!



PET

Dividers  
without  
break points

#### Shelf Divider

Without stopper, with clip at back;

Material: PET; Colour: transparent;  
Height: 60 mm

Length: 385 mm

22.0152.9

Length: 485 mm

22.0152.14

#### Shelf Divider

Without stopper, with clip at back;

Material: PET; Colour: transparent;  
Height: 120 mm

Length: 385 mm

22.0159.9


Length: 485 mm

22.0159.14

All lengths, prices and a video about  
simple attachment of dividers can be found at:

[vkf.de/ft-en](https://vkf.de/ft-en)





## Shelf Divider

For various shelf depths; with 8 break points;  
Material: PET; Colour: transparent; Height: 60 mm

### Divider without Stopper

Length: 485 mm;  
Version: break point every 25 mm from 285 mm  
**22.0195.1**  
Length: 585 mm;  
Version: break point every 25 mm from 385 mm  
**22.0195.2**

### Shelf Divider with Left-Hand Stopper


Length: 485 mm; Height at front: 30mm;  
Version: break point every 25 mm from 285 mm  
**22.0199.1**  
Length: 585 mm; Height at front: 30mm;  
Version: break point every 25 mm from 385 mm  
**22.0199.2**

### Shelf Divider with Center Stopper

Length: 485 mm; Height at front: 30mm;  
Version: break point every 25 mm from 285 mm  
**22.0200.1**  
Length: 585 mm; Height at front: 30mm;  
Version: break point every 25 mm from 385 mm  
**22.0200.2**

### Shelf Divider with Right Stopper

Length: 485 mm; Height at front: 30mm;  
Version: break point every 25 mm from 285 mm  
**22.0201.1**  
Length: 585 mm; Height at front: 30mm;  
Version: break point every 25 mm from 385 mm  
**22.0201.2**







## Shelf Divider

For various shelf depths; with 8 break points;

Material: PET; Colour: transparent; Height: 120 mm

### Divider without Stopper

Length: 485 mm;

Version: break point every 25 mm from 310 mm

**22.0205.1**

Length: 560 mm;

Version: break point every 25 mm from 385 mm

**22.0205.2**

### Shelf Divider with Left-Hand Stopper

Length: 485 mm; Height at front: 80 mm;

Version: break point every 25 mm from 310 mm

**22.0206.1**

Length: 560 mm; Height at front: 80 mm;

Version: break point every 25 mm from 385 mm

**22.0206.2**

### Shelf Divider with Center Stopper

Length: 485 mm; Height at front: 80 mm;

Version: break point every 25 mm from 310 mm

**22.0207.1**

Length: 560 mm; Height at front: 80 mm;

Version: break point every 25 mm from 385 mm

**22.0207.2**

### Shelf Divider with Right Stopper

Length: 485 mm; Height at front: 80 mm;

Version: break point every 25 mm from 310 mm

**22.0208.1**

Length: 560 mm; Height at front: 80 mm;

Version: break point every 25 mm from 385 mm

**22.0208.2**



## System for attaching shelf dividers "MP"

*... give your products security!*

### Divider Profile "PEK"

Anchor profile for dividers; Without shelf edge profile;

Available with adhesive or magnetic tape;

Colour: transparent and white

**22.0012.**

### Divider Profile "PEK 30" with Cutouts

Anchor profile for dividers on wire shelves;

With oval cutouts and ridge; without shelf edge profile;

Colour: transparent; Bracket width: 30 mm

**22.0096.**

### Divider Profile "PEK 25"

Anchor profile for dividers; Without shelf edge profile;

Incl. attachment to hook on "MP" range dividers;

Available with adhesive or magnetic tape; Colour: transparent;

Bracket width 25 mm

**22.0144.**

"PEK 45"

Bracket width 45 mm

**22.0180.**

### Divider Profile "PEK 45" with Cutouts

Anchor profiles for dividers on wire shelves;


With oval cutouts and attachment to hook on "MP" range dividers;

Colour: transparent

**22.0172.**




*To attach at the front*



*To attach at the rear*

## Kwickload - push your products ...

... even without shelves!



### Features & Advantages

- ✓ organised product presentation
- ✓ ideal for a variety of packaging sizes
- ✓ high durability, made of ABS plastic
- ✓ saves time and money
- ✓ easy to fit
- ✓ automatic moving of products guaranteed
- ✓ pull-out mechanism with locking paddle enables easy refilling
- ✓ dividers adaptable to product width
- ✓ suitable for refrigeration and deep-freezing



Discover the new Kwickload system at:  
[vkf.de/kwickload-en](https://vkf.de/kwickload-en)





## Here's how it works:

### 1 range of fixing options




bar holder




shelf holder

### 2 range of dividers





solid dividers



wire dividers

### 3 range of fronts





## Making NEW from OLD - sustainable solutions ...

... shelf edges profiles made from recycled materials!





## Fixings for classic shelf edge labels ...

... the right profile for every shelf!

### Our diversity is your advantage!

- ✓ over 300 different profile types available
- ✓ various fixing options (e.g. self-adhesive, magnetic, for clipping onto wood, glass and all common metal shelves, etc.)
- ✓ ESL fixing rails for all common suppliers
- ✓ cut to size - no waste
- ✓ processing of different materials such as PVC, PET, PC, TPE, PLA and recycled materials




These and other articles from the field of classic price labelling can be found at:  
[vkf.de/pa-en](http://vkf.de/pa-en)





## Fixings for electronic shelf edge labels ...

... fixings for all current ESL systems!



### Fixing Rail "AL" for Pricer and Hanshow Labels

For Linde, Storebest, Tego and Adams shelving, without hinge, for various label types, Colour: transparent  
28.0405.



### ESL-Holder for Willow Baskets for Chroma 74

Material: plastic / metal / aluminium;  
Colour: black; Pole material: aluminium;  
Pole colour: grey similar to RAL 7016, powder coated;  
Pole length: 150 mm; Tube diameter: 10 mm; Features: with joint;  
Version: incl. T-piece and adapter plate for Chroma 74  
28.0412.1



### Fixing Rail "Wanzl Wire-Tech" for Displaydata and ses vusion Labels

For Wanzl and Wire-Tec wire shelves with 2 horizontal wires, with hinge, for various label types, available in different colours  
20.1796.

Our whole range  
can be found at:  
[esl-fittings.com](http://esl-fittings.com)



## Labels for electronic shelf edging

### Your advantages:

- ✓ Real time price and product adjustment
- ✓ Central price control and monitoring
- ✓ Interactive price labelling by NFC and QR code
- ✓ Networking of cash register, online shop and electronic price tag directly at the shelf
- ✓ Inventory monitoring and inventory mode
- ✓ Extensive fixing solutions



tronitAG

Discover the range and applications of label at:  
[tronitag.com](http://tronitag.com)





# EasyCubes

*Presentation with a system!*

- ✓ Modular slot together system consisting of three high-quality basic elements
- ✓ Tool free assembly
- ✓ Simple conversion
- ✓ Quickly packed & easily transported
- ✓ Can be custom printed for use in product displays:
  - in shop windows
  - in decorative islands
  - in entrance areas etc.
- ✓ with the right accessories you can put your product in the right light





## 3 basic elements ...

... a thousand possibilities!

Cover



Cube



Floor



### EasyCubes "Cover"

Material: plastic High Impact Polystyrene;  
Width: 400 mm; Height: 10 mm; Depth: 400 mm;  
Weight: 0.5 kg; Print: without print;  
Load capacity: up to max. 2000 kg when used with a Floor unit

Colour: white, high gloss

80.1024.1

Colour: black, matt

80.1024.6

### EasyCubes "Cube"

Material: plastic High Impact Polystyrene; Width: 400 mm;  
Height: 200 mm; Depth: 400 mm; Weight: 2.0 kg;  
Print: without print; Load capacity: up to max. 70 kg

Colour: white, matt

80.1024.2

Colour: black, matt

80.1024.3

### EasyCubes "Floor"

Material: plastic High Impact Polystyrene;  
Width: 400 mm; Height: 50 mm; Depth: 400 mm;  
Weight: 1.0 kg; Features: incl. 2 connectors;  
Load capacity: up to max. 2000 kg when used with a Cover unit

Colour: white, high gloss

80.1024.13

Colour: black, matt

80.1024.4

## Even more possibilities ...

... with the matching accessories!

### Carry Bag for EasyCube

Material: polyester fabric; Colour: black; Width: 450 mm;  
Length: 450 mm; Height: 900 mm; Weight: 4,0 kg;  
Version: for 4 Cubes, 4 Floors, 4 Covers; Features: with wheels  
80.0203.1

Easy to pack and light  
to transport.

### Ramp for EasyCubes

Material: HIPS; Height: 52.4 mm

#### Front

Colour: black; Width: 406mm; Depth: 114mm;  
Weight: 280 g; Version: front for EasyCube Floor

80.1111.1

Colour: white; Width: 406mm; Depth: 114mm;  
Weight: 280 g; Version: front for EasyCube Floor

80.1111.2


#### corner

Colour: black; Width: 101 mm; Depth: 95 mm;  
Weight: 56 g; Version: corner for EasyCube Floor

80.1111.3

Colour: white; Width: 101 mm; Depth: 95 mm;  
Weight: 56 g; Version: corner for EasyCube Floor

80.1111.4



For a clean and barrier  
free ending.

## Attract attention with a corresponding motif ...

... set the scene for your product!

### Micro Suction Film incl. Print for EasyCubes "Cube"

The film can be printed to suit your requirements and allows you to advertise on all 4 sides of the cube. We fit the film and this service is included in the price.

Material: Micro Suction Sheet; Colour: white; Width: 1630 mm; Height: 185 mm; Print method: 4 colour digital UV direct print, one-sided; Print / motif: customised print; Outline: rectangular 14.0073.174

Custom print on micro suction sheet for easy exchange ...



### EasyCubes "Cover" incl. digital print

Material: plastic High Impact Polystyrene;  
Width: 400 mm; Height: 10 mm; Depth: 400 mm;  
Weight: 0.5 kg; Print: digital print - flatbed;  
Load capacity: up to max. 2000 kg when used with a Floor unit

Colour: white; Motif: cobblestone small

80.1024.7

Colour: white; Motif: pebbles

80.1024.8

Colour: white; Motif: dark wood

80.1024.9

Colour: white; Motif: grass

80.1024.10

Colour: white; Motif: light wood

80.1024.11

Colour: black; Motif: carbon

80.1024.12

Colour: white; Motif: "Sale"

80.1024.14

Colour: white; Motif: "Big Sale"

80.1024.15

Colour: white; Motif: customer defined, background colour white

80.1024.16

Colour: black; Motif: customer defined, background colour black

80.1024.17



Can't see the motif you want?  
We can print the cover to your specifications!






With a showcase topper a simple tower becomes ...

... a high quality showcase!



Lighting available  
in our online shop

82.0087.38 + .39




80.1051.1



80.1051.4

60.0106.658

Centre Cube



### EasyCubes Plinth Showcases

The removeable EasyCubes showcase topper is perfect for short-term use, e.g. at trade fairs.

Material: high impact plastic / acrylic;  
Colour of floor: black; Colour of cube: white;  
Width: 400 mm; Depth: 400 mm;  
Version: without lock; Illumination: without

Height: 1200 mm; Cover height: 200 mm;  
Features: 1x floor, 5x cube, 1x acrylic dome  
200 mm; Weight: 13.0 kg

80.1051.1

Height: 1400 mm; Cover height: 400 mm;  
Features: 1x floor, 5x cube, 1x acrylic cover  
400 mm; Weight: 14.0 kg

80.1051.4

The EasyCubes showcase topper in black  
can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com)

### Centre Cube

Material: acrylic; Material thickness: 4 mm;  
Colour: crystal clear; Width (outer): 400 mm;  
Depth (outer): 400 mm; Version: stackable

Height (outer): 100 mm

60.0106.657

Height (outer): 200 mm

60.0106.658

Height (outer): 400 mm

60.0106.659

Cover offers your products an  
elegant and high quality frame.

### EasyCubes Showcase Topper

Material: acrylic;  
Material thickness: 4 mm;  
Colour: crystal clear;  
Width (outer): 400 mm;  
Depth (outer): 400 mm

Height (outer): 100 mm

60.0106.616

Height (outer): 200 mm

60.0106.542

Height (outer): 400 mm

60.0106.541

### EasyCubes Showcase Topper, lockable

Material: acrylic;  
Width: 400 mm; Depth: 400 mm;  
Features: incl. lock and key

Cover height: 200 mm

80.1051.9

Cover height: 400 mm

80.1051.8

60.0106.616



80.1051.9



60.0106.541



60.0106.542

## Want to display more products?

... discover our sets with corresponding advertising walls!



### EasyCubes Set "1"

Colour of floor: black; Colour of cube: black;  
Colour of cover: white; Floor size: 400 x 400 x 50 mm (W x D x H);  
Cube size: 400 x 400 x 200 mm (W x D x H);  
Cover size: 400 x 400 x 10 mm (W x D x H);

- Floor qty.: 12 pieces
- Cube qty.: 12 pieces
- Cover qty.: 12 pieces
- Floor space: 1600 x 1200 mm
- Features: 12 printed covers 6x "grass" / 6x "stones"
- Features 2: 2 aluminium composite panels 2 mm incl. 4/4 print 80.1086.15



### EasyCubes Set "2"

Colour of floor: black; Colour of cube: black;  
Colour of cover: white; Floor size: 400 x 400 x 50 mm (W x D x H);  
Cube size: 400 x 400 x 200 mm (W x D x H);  
Cover size: 400 x 400 x 10 mm (W x D x H);

- Floor qty.: 12 pieces
- Cube qty.: 12 pieces
- Cover qty.: 12 pieces
- Floor space: 1600 x 1200 mm
- Features: 12 printed covers "grass"
- Features 2: 2 aluminium composite panels 2 mm incl. 4/4 print 80.1086.16

Watch our video on  
versatility and easy assembly:  
[vkf.de/easycubes-en](http://vkf.de/easycubes-en)



### EasyCube Set "3"

Colour of floor: black; Colour of cube: black;  
Colour of cover: white; Floor size: 400 x 400 x 50 mm (W x D x H);  
Cube size: 400 x 400 x 200 mm (W x D x H);  
Cover size: 400 x 400 x 10 mm (W x D x H);

- Floor qty.: 12 pieces
- Cube qty.: 16 pieces
- Cover qty.: 12 pieces
- Floor space: 1600 x 1200 mm
- Features: 12 printed covers 4x "stones" / 8x "grass"
- Features 2: 1 aluminium composite panel 2 mm incl. 4/4 print 80.1086.17



Aluminium contour cut  
for even more attention!





# POS Cooler

*Refreshing advertising!*

- ✓ offers space for approx. 16 cans with 330 ml content
- ✓ First In - First Out principle
- ✓ **maintenance free and ecologically effective:** cools without chemicals
- ✓ completely recyclable - minimised waste
- ✓ sales promotion presentation for impulse purchases
- ✓ contemporary design
- ✓ the lightest of POS coolers
- ✓ **energy-saving:** 20% less energy consumption\*

\*compared with the smallest compressor chillers available



Stay cool and hydrated ...

... give your counter coolness!



#### POS Cooler „Home of Cool“

Material of body: steel; Material: plastic; Finish: without branding;  
Version: for 330 ml cans; Voltage [V]: 24 V; Connection: 230 V

Colour of body: black; Side panel colour: black

10.0502.1

Colour of body: black; Side panel colour: white

10.0502.2

Colour of body: silver; Side panel colour: black

10.0502.6



Sides printable  
and can  
be changed!

Also available  
for 330 ml slim  
cans and 250 ml  
cans.



Discover the product from home using  
Augmented Reality at: [vkf.de/pos-cooler-en](https://vkf.de/pos-cooler-en)






# Clear Line

*Clear view in every weather!*


- ✓ A4 portrait format
- ✓ water repellent
- ✓ can be used both sides
- ✓ removable cover allows the posters to be changed quickly and without tools
- ✓ ideal for use in nurseries, garden centres and outdoor areas
- ✓ flexible attachment options for perfect advertising placement






## Your advert in the right frame ...

... in any weather!



Water resistant



### Poster Frame "Clear Line"

Water repellent, transparent A4 insert frame. The lid of the two-part frame prevents water from entering as far as possible and is therefore ideal for use in garden centres, nurseries and outdoors. The frame is compatible with many adapters for A3-A6 frames. Floorstanding bases in combination with tube and T-piece can also be used (table-top bases should be weighted down)

Material: polycarbonate; Colour: transparent;  
Insert size: A4 portrait  
53.0454.1

A clear view in any weather.

Watch our video on versatility  
and easy assembly:  
[vkf.de/clearline-en](https://vkf.de/clearline-en)



### Hanging Hook "Long Pivot"

Moves; With pivoting, 50 mm long hook;  
To hang poster frames on wires up to max. 10 mm Ø;  
Colour: transparent; Frame capacity: A3-A6  
53.0019.84



### Showcard Frame Holder for Plant Containers

Perfect for labelling the front of plant containers; incl. T-piece;  
Material: metal / plastic; Surface: zinc-plated;  
T-piece colour: transparent  
53.0359.10



### Frame Support "RA1"

Vertical; Material: strong plastic;  
Colour: transparent; Frame capacity: A3-A6  
53.0019.2



You can find many more  
fixings in our online shop at  
[vkf.de/cz-en](https://vkf.de/cz-en)






# Protect / Guide / Inform

*Everything for your hygiene concept!*

- ✓ Wide range of products:
  - Hygiene dispenser
  - Disinfectants
  - Partition walls
  - Sneeze guards
  - Face protection
  - Face masks
  - Air purifiers
  - Floor sticker
  - Info poster stands and banners
  - ... and much more
- ✓ Custom solutions on request
- ✓ Many articles available with short delivery times and express shipping



## Individually tailored protective measures ...

... for your requirements!

### Hygiene Station "Score" with Steripower Sanitiser Device

The aluminium display offers an optimal standing function for the high-quality Steripower "White Edition" hand disinfecter. The dispenser for disinfectant works with the help of a sensor which emits a spray shock during contactless application. This avoids contact surfaces to which pathogens and bacteria can adhere. The spray intensity can be adjusted over 10 levels. The steps can be adjusted from 0.5 ml to 5 ml. The dispenser holds liquid disinfectant (not gel) with a container of up to 1000 ml. This is not included in the delivery. Suitable disinfectant can be found in the range of accessories.

A drip tray for excess liquids is integrated in the hand disinfection dispenser. Optionally, absorbent medical pads can be inserted into this collection tray, which you can order under our accessories with the Steripower-Kit. The practical and large opening offers plenty of space to wrap both hands with a spray mist at the same time.

In addition, the high-quality Steripower device is equipped with a precharged battery. The corresponding charger for this can be obtained with the Steripower-Kit (59.2495.12) in our range of accessories. It is not included in the scope of delivery and is required for the permanent use of the disinfection device.

Operation: contactless; Material: aluminium / steel / plastic;  
Colour of upright: silver anodised;  
Colour of base: silver similar to RAL 9006;  
Size of base: 700 x 450 mm (W x T); Total height: 1500 mm  
**51.0129.19**

*Suitable  
for liquid  
disinfectant  
up to 1000 ml.*

### Hygiene Stand "Budget III"

- Manual operation via arm lever
  - Refillable tank
  - Capacity approx. 1000 ml
  - For liquid and gel sanitisers
  - Flexible application
  - Incl. A4 aluminium snap frame for e.g. hygiene instructions
- 50.0359.1**

You can find suitable  
inserts in our online shop  
as a free download.



### Wall-mount Disinfection Dispenser "Sensor-Wall"

- sensor controlled, contactless operation
  - refillable tank
  - capacity approx. 1000 ml
  - for liquid disinfectants (not gel)
  - flexible application
  - uses 6x AA batteries or mains adapter
- 50.0341.2**

### Alcoholic Hand Disinfectant

Particularly skin-friendly and fragrance free due to low alcohol content. Contains high quality moisturising and nourishing ingredients that prevent the skin from drying out.

Fill quantity: 1000 ml; Finish: bottle; Effect: limited virucidal plus  
**12.0667.2**

Only for use in the following countries: Germany, Austria, Poland, Czech Republic, Greece, Lithuania, Great Britain, Belgium, Luxembourg, Malta, Sweden, France and Romania.



*Hygiene and  
Safety*





### Stretch Frame Hygiene Stand

Frame material: aluminium; Frame colour: silver;  
Size: 600 x 1850 mm (W x H); Frame depth: 44 mm;  
Features: incl. disinfectant dispenser Sensor-Wall

Frame width (outer size): 600 mm;  
Frame height (outer size): 1850 mm;  
Version: incl. 2 standard banners blue;  
Motif: Hygienehinweise blau, GB

**15.0261.65**

Version: incl. 2 standard banners red;  
Motif: Hygienehinweise rot, GB

**15.0261.66**

Frame width (outer size): 600 mm;  
Frame height (outer size): 1850 mm;  
Version: incl. 2 individually printed banners;  
Motif: nach Kundenwunsch, GB

**15.0261.67**



### Aluminium Stretch Frame Partition Wall incl. crystal clear PVC Banner

The partition wall consists of an aluminium stretch frame, which stands on two stable base plates. It is supplied with a crystal-clear banner, which is sewn all around with a flat welting. Separate your areas and still keep the room visible at all times. A printed textile banner can also be clamped into the frame if the area of use changes.

Frame material: aluminium; Frame colour: silver anodised;  
Frame depth: 44 mm; Version: incl. transparent PVC banner  
and 2 angle feet

Size: 1000 x 2000 mm (W x H)

**15.0219.146**

Size: 1300 x 2000 mm (W x H)

**15.0219.141**

Size: 1700 x 2000 mm (W x H)

**15.0219.148**

Size: 1800 x 2000 mm (W x H)

**15.0219.147**

### Roll Banner "Stick" Partition Wall

The Rollbanner "Stick" is a classic Roll Up Banner, which serves as a sneeze guard. A PET banner is hidden in the aluminium casing, which can be pulled out. We can custom print this banner so that the product doubles up as advertising or an information display. The thin PET can reduce the transmission of bacteria or pathogens via droplet infection. Thus, office staff, customers or service personnel can be protected.

Casing material: aluminium;  
Casing colour: silver; Height: 2000 mm;  
Depth: 300 mm; Version: partition;  
Features: incl. transparent banner

Width: 850 mm


**80.0126.77**

Width: 1000 mm

**80.0126.72**



## Protect yourself and others!



### Sneeze Guard "Alba"

The sneeze guard "Alba" consist of 3 parts which slot together and can be dismantled and stored in a space-saving way if required.

Material: acrylic; Material thickness: 4 mm; Colour: crystal clear

Width: 1000 mm; Height: 750 mm; Opening: 300 x 150 mm (W x H)


**60.0605.6**

Width: 750 mm; Height: 1000 mm; Opening: 300 x 150 mm (W x H)

**60.0605.7**

Width: 500 mm; Height: 750 mm; Opening: 200 x 150 mm (W x H)

**60.0605.8**



### Sneeze Guard "Mania"

The sneeze guard "Mania" comes in 3 parts which slot together and can be dismantled and stored in a space-saving way if required. Ideal for shallow counters.

Material: plastic; Colour: crystal clear; Height: 750 mm;

Opening: 300 x 150 mm (W x H)

Width: 1000 mm

**60.0605.43**

Width: 750 mm

**60.0605.44**

Width: 500 mm

**60.0605.45**



Partition walls without hatch  
can be found online at  
[vkf.de/hs-en](https://vkf.de/hs-en)



### Ceiling Suspension "Protective Screen" made of highly transparent acrylic

Material: acrylic; Material thickness: 2 mm; Colour: crystal clear;  
Edge quality: saw notch; Number of holes: 2; Hole diameter: 5 mm;  
Hole distance: 100 mm from the side, 10 mm from the top

Version: portrait - width 500 mm, height: 1000 mm

**60.0224.834**

Version: landscape - width 1000 mm, height: 500 mm

**60.0224.833**



### L-Display "Classic"

Material: acrylic; Material thickness: 2 mm;  
Colour: crystal clear; Size: A4; Orientation: portrait

**60.0010.3**

Corresponding  
free of charge  
inserts can  
be found at  
[vkf.de/kd-en](https://vkf.de/kd-en)





Show your customers the right way ...

... and enforce distances!



**KEEP YOUR  
DISTANCE**



#### Floor Sticker

Material: self-adhesive film + floor laminate;  
Surface: matt; Size: ø 300 mm; Print method: digital print;  
Range of use: for indoor use; Assembly: contour cut as a circle;  
Model: Keep Your Distance; Version: corona sticker  
14.0059.1598

#### Floor Sticker

Material: self-adhesive film + floor laminate;  
Surface: matt; Size: 508 x 152 mm; Print method: digital print;  
Range of use: for indoor use; Assembly: square cut;  
Model: Keep Your Distance; Version: corona sticker  
14.0059.1599

#### Warning Tape "Please keep your distance"

The floor marking tape helps to maintain the recommended minimum distance. With this warning tape you can quickly and reliably mark distance zones, for example in shops, doctors' surgeries or offices. The hard-wearing PVC material is characterised by its high adhesive strength on hard surfaces. The marking tape also adheres to carpets, but requires more frequent replacement. Our Social Distancing warning tape is available in several languages.

Material: PVC; Width of roll: 50 mm; Roll length: 66 m;  
Surface: glossy; Adhesive: natural rubber;  
Range of use: for indoor use;  
Print / motif: Please keep a distance of 1,5 meter  
12.0459.28



#### Logo Mat "Keep Your Distance"

The logo mats are trendsetting, distancing and cleaning at the same time. They are used in retail trade, pharmacies, public authorities, banks etc. The mat is manufactured with a 2 cm rubber edge all around. The PVC-free NBR backing prevents the mats from slipping on smooth surfaces.

Material: 100 % polyamide 6; Size: 850 x 1500 mm (W x H);  
Grammage [g/m²]: 2400 g per m²  
16.0036.

Logo mats in landscape format can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com).



#### Barrier Post "Easy"

Material: stainless steel; Post colour: black;  
Tape extends to: 1800 mm; Tape width: 47 mm;  
Base diameter: 360 mm; Total height: 915 mm; Weight: 8.0 kg

Tape colour: red


80.1028.1

Tape colour: blue

80.1028.2

Tape colour: black

80.1028.3



# Professional Air Purifier "PLR Silent"...

... for better air quality!



## Professional Air Purifier "PLR Silent" with HEPA Filter H14 and Switch Activated UV-C Light

- optical indicator for filter change
- operated via touch display
- filters 99.995 % of viruses
- durable HEPA H14 filter
- output infinitely variable according to room size and volume
- for small and large rooms up to 150 m²
- switch activated, screened UV-C lamp
- mobile and light (only 22 kg)
- adjustable day and night settings

Material: aluminium; Surface: powder coated;  
Colour: RAL 9003 microstructure;  
Sizes: 393 x 463 x 950 mm (L x W x H);  
Room size: up to 150 m²;  
Cleaning performance: 1062 m³/h;  
Separation efficiency: 99.995%;  
Filter class: HEPA-Filter H14 compliant with EN 1822 + prefilter;  
Filter levels: 3 (optional 5); Filter area: 150 m²;  
Filter change interval: 8800 working hours;  
Finish: with infinitely variable power control (0-100%);  
Features: with touch display and indicator for filter change;  
Version: with 3-stage filter system and UV-C light;  
Power input [W]: max. 210 W (at 100%); Voltage [V]: 230 V;  
Weight: 22 kg  
10.0537.7

Filtration is carried out via a 3-stage filter system consisting of a pre-filter, a suspended matter filter (HEPA filter H14) and a switch activated UV-C lamp.

Optionally, the unit can be equipped with an activated carbon mat or a larger activated carbon cell with downstream HEPA filter to remove odours from the room air.

MADE IN GERMANY

## Range of applications:

- ✓ Aerosols
- ✓ Viruses and bacteria
- ✓ Allergens (mould spores, pet hairs, dust mites, pollen, dust, etc.)

## And when using the optional activated carbon:

- ✓ Odours (body odours, kitchen odours, paint odours, smoke odours, etc.)
- ✓ chemical substances (volatile organic compounds)

## TECHNICAL SPECIFICATIONS

Dimensions (L x W x H)	393 x 463 x 950 mm
Weight including filter	22 kg
Power supply	230 V
Volume flow with filter	1.062 m³ / h
Filter stages	3 (optional 5)
HEPA filter	H14 according to EN 1822
Sound level at 25% / 100% power	44 dB / 69 dB
Maximum room size	150 m²

Further information, reports on the effectiveness and a video of the air purifier "PLR Silent" can be found at: [vkf.de/plrsilent-en](https://vkf.de/plrsilent-en)





## Giveaways for your customers ...

... safety on the go!



### Hand Sanitiser Gel "Clap Your Hands", 50 ml

The "Clap Your Hands" Gel is ideal for sanitising on the go. Pocket size, it protects against pathogens, germs and bacteria. It kills 99.9% of bacteria. You can personalise the item with a 4 colour print of your logo or slogan on a label. Ideal as a giveaway. Print costs are included in the price.

Effect: bactericidal; Size: 86 mm x 44 mm x 24 mm (H x W x D);  
Print / motif: to customer specification;  
Contains: hand sanitising gel; Fill quantity: 50 ml

pack: 288 pieces

40.1897.1

pack: 576 pieces

40.1897.1



### Hand Sanitiser in 50 ml Holder

The 50 ml bottle with different coloured silicone covers is not just an optical eyecatcher! Practical with loop for hanging on a rucksack, pushchair or in the shower: Uses are numerous; Contains: hand gel (other options available); antibacterial; Use without water; Price incl. printed label to body plus setup costs

Colour: red; Contains: hand sanitising gel

pack: 250 pieces

40.1596.1

pack: 500 pieces

40.1596.1

### Ballpoint Pen Challenger Antibac


Retractable ballpoint pen with antibacterial surface. Plastic from Germany mixed with silver compounds, antibacterial effect confirmed by testing to ISO 22196 standard. Polished opaque barrel surface, white barrel and clip, long-lasting senator® magic flow G2 refill (1.0 mm), Writing capacity up to 5000 m; Minimum quantity: 500 pieces

Colour: white

40.1941.1

Advertising can be applied on request.

Antibacterial  
action compliant  
with ISO 22196!




### Antibacterial Ballpoint Pen "Icon Green"

The antibacterial plastic surface counteracts the proliferation of pathogenic bacteria. This feature is an absolute plus both with constantly changing users of a ballpoint pen and in general everyday use! Minimum quantity: 1000 pieces

40.1906.

Promotional printing on request.

Other colours can be found on  
[vkf.de/ig-en](http://vkf.de/ig-en)





# Leaflet Stands

*...the essential helper!*

- ✓ indispensable at the point of sale
- ✓ versatile in application
- ✓ table-top, floor and wallmounted versions
- ✓ available for displaying:
  - catalogues
  - leaflets
  - flyers
  - information brochures
  - business cards
- ✓ in different materials
- ✓ in different sizes
- ✓ different filling depths
- ✓ with custom print
- ✓ bespoke finishes on request





## Table-Top and Wall-Mountable Leaflet Holder

### Single Pocket Leaflet Holder "Perfect"

Material: polystyrene; Colour: crystal clear;  
Orientation: portrait

Size: A4; Fill depth: 40 mm

67.0003.1

Size: A5; Fill depth: 30mm

67.0003.2

Size: 1/3 A4; Fill depth: 30mm

67.0003.3

1. From left to right: 67.0003.3, 67.0003.2, 67.0003.1.

### 4-Section Table-Top Stand "Universum"

Material: polystyrene; Colour: crystal clear;  
Orientation: portrait; Fill depth: 30mm

Size: A4

67.0030.2

Size: A5

67.0030.5

1. A4.

2. A5.

Also available  
in a wallmounted  
version in our  
online shop!

## Floor Standing Brochure Holders & Literature Stands



### Leaflet Stand "Zig-Zag Madera"

- Strong leaflet stand in a classic zigzag design
- Upper profile: natural, oiled
- Eyecatcher in any situation
- Simply screws together
- With 5x A4 portrait leaflet trays
- Leaflets can be removed from any side

Version: 2-sided; Material: beechwood;  
Shelf size: A4 (210 x 297 mm); Fill depth: 30mm;  
Size: 220 x 1485 x 370 mm (W x H x D)

50.0089.26



### Leaflet Stand "ZigZag"

- Multi-section leaflet stand in a classic zigzag design
- Leaflets can be removed from all sides
- 6 acrylic trays
- For A4 portrait leaflets
- Stainless base in powder coated aluminium

Version: 2-sided; Material: aluminium / acrylic;  
Shelf size: A4 (210 x 297 mm); Fill depth: 30mm;  
Size: 300 x 1500 x 420 mm (W x H x D)

50.0089.2

## Leaflet Stand "Tondo" including accessories ...

... an allrounder for every application!

### Leaflet Stand "Tondo NG"

The curved polystyrene leaflet dispensers allow even single leaflets to be displayed. The metal frame is powder coated in silver (RAL 9006).

Dispenser material: polystyrene; Orientation: portrait;  
Base diameter: 320 mm; Total height: 1550 mm;  
Fill depth: approx. 35 mm

Dispenser size: A4; Number of dispensers: 6

54.0067.5

Dispenser size: A5; Number of dispensers: 8

54.0067.8

Dispenser size: 1/3 A4; Number of dispensers: 8

54.0067.11



Discover the many accessories  
at in our video at:  
[vkf.de/ng-en](http://vkf.de/ng-en)



## The "Tondo" in kit form ...

... now customised!





# Sustainability

*Environmentally friendly selling!*

- ✓ Use of renewable or natural raw materials
- ✓ Recycled material as raw material for new products
- ✓ Our sustainable products are indicated:



bio-plastics / natural based plastics /  
paper / wood



natural presentation to reduce  
packaging in retail outlets



products predominantly made of  
recycled plastics (also recycles  
from waste systems)

Discover more at:  
[vkf.de/nh-en](https://vkf.de/nh-en)





## Unwrapped sales ...

... shop as needed!



*Incl. display base*



*Incl. metal hanger*



### Transparent Food Dispenser

Material: polycarbonate; Colour: transparent;  
Width: 152 mm; Depth: 340 mm

#### with stand support

Height: 715mm; Capacity: 19 l;  
Version: incl. display base

**65.0189.6**

Height: 570 mm; Capacity: 13 l;  
Version: incl. display base

**65.0189.7**

Height: 435 mm; Capacity: 8 l;  
Version: incl. display base

**65.0189.8**

#### Incl. metal hanger

Height: 715mm; Capacity: 19 l;  
Version: incl. hanger

**65.0189.9**

Height: 570 mm; Capacity: 13 l;  
Version: incl. hanger

**65.0189.10**

Height: 435 mm; Capacity: 8 l;  
Version: incl. hanger

**65.0189.11**

### Product Display "Jungle"

Display unpackaged - Achieve an environmentally aware and natural display with the dump bin "Jungle". This is particularly good for unpackaged fruit and vegetables. The version "base" offers lots of space for large items. The version "bowl" can be placed on plinths or tables. In combination, both versions offer display space at a range of heights.

Material: PP/wire; Shape: round; Colour: brown

#### Bowl

Diameter: 445 mm; Height: 100 mm

**59.2858.1**

Diameter: 605 mm; Height: 120 mm

**59.2858.2**

#### Frame

Diameter: 435 mm; Height: 500 mm

**59.2858.3**

Diameter: 595 mm; Height: 500 mm

**59.2858.4**

Diameter: 435 mm; Height: 800 mm

**59.2858.5**

Diameter: 595 mm; Height: 800 mm

**59.2858.6**



Unpackaged  
product display!



- ✓ for loose and unpackaged goods
- ✓ simple and environmentally conscious presentation
- ✓ classic design in natural brown tone
- ✓ various possible combinations
- ✓ durable and easy to clean



Reuse instead of  
throwing away!



**"Mumbai" Fruit and Vegetable Bag**  
Size: 30 x 40 cm, Volume: 9 l

The "Mumbai" is a fruit and vegetable bag and the reusable alternative to polyethylene or paper bags. It consists of two materials, on one side 100% OEKO-TEX cotton and on the other side nylon netting. Closable with a drawstring. As a bag that can be printed on one side and is transparent on the other, it is a lasting and welcome guest at every checkout as a bag for fruit and vegetable purchases. Handle with drawstring; washable;

Material: 100% Öko-Tex cotton/fresh net nylon;  
Grammage [g/m²]: 140g/m²  
46.0538.1

Promotional printing on request.

**Large Basket**

With two handles;

Material: willow; Colour: natural; Width: 600 mm;  
Height: 200 mm; Depth: 400 mm  
40.0005.9



**Shopping Basket made from recycled Material**

With our shopping basket, you help to save raw materials and conserve resources sustainably. The plastic is made of 100% recycled PP without the use of crude oil, thus saving resources. Since the basket can also be completely recycled, the material cycle is closed.

Capacity: 20 l; Material: recyclate (Systalen Primus);  
Width: 300 mm; Height: 225 mm; Length: 430 mm;  
Number of handles: 1; Colour of handle: grey;  
Version: standard

Colour: blue

68.0173.1

Colour: grey

68.0173.2

Colour: green

68.0173.3

**BIO Snack Box "Lunch"**

Material: BIO PE, consists of up to 94% renewable raw materials

Size: 165 x 130 x 70 mm

Colour: green/white


40.1699.1

Colour: white

40.1699.2

Promotional printing on request.





### Product Box "Pieris"

Material: acrylic; Material thickness: 4 mm;  
Colour: crystal clear; Width (outer): 160 mm;  
Height at front: 50 mm; Height at rear: 100 mm;  
Depth (outer): 300 mm  
60.0485.1



Boxes can be  
exchanged



### Acrylic Display "Toona"

The ideal aid to your product presentation! The acrylic display is suitable for the square box "Toona" as well as the mini box "Toona" - Choose the right box for your acrylic glass display yourself. With insert for A5 portrait format. Toona boxes are not included.

Material: acrylic; Material thickness: 3 mm; Colour: black;  
Width: 150 mm; Depth: 192mm; Height at rear: 328 mm  
60.0550.55

One product,  
many possibilities!

### Square Box "Toona"

Material: polystyrene; Colour: white;  
Width: 125 mm; Length: 125 mm; Height: 77 mm  
65.0190.15

*Other colours can be  
found in our online shop!*

### Mini-Box "Toona"

Material: polystyrene; Colour: white;  
Width: 65 mm; Length: 65 mm; Height: 72 mm  
65.0190.5

### Counter Display "LEDUM"

The three shelves are removable and can be used with 2 different front heights. The inclined position ensures that the goods slide down automatically.

Material: acrylic; Material thickness: 3 & 5mm;  
Colour: crystal clear; Width: 310 mm; Height: 300 mm;  
Depth: 340 mm; Number of dispensers: 3  
60.0686.11







### Dump Bin "Magnetica"

The bin is fitted with small magnets and can be positioned next to or on top of another. Ideal for giveaways and small items.

Material: acrylic; Material thickness: 3 mm;  
Colour: crystal clear; Width: 120 mm;  
Height at rear: 120 mm; Height at front: 60 mm;  
Depth: 180 mm  
**60.0786.1**



### Sneeze Guard "Fagus"

With 4 suction cups;

Material: acrylic; Material thickness: 4 mm; Colour: crystal clear;  
Width: 620 mm; Height: 200 mm; Depth: 260 mm  
**60.0059.1**



## Take sustainability in to your own hands!



### Push Button Ballpoint Pen "Recycled PET Pen"

Push button ballpoint pen in recycled PET in opaque coloured casing. The material is made in Europe from recycled PET bottles and is designed to be longlasting and sustainable for promotional use.

Minimum quantity: 1000 pieces  
**40.1421.**

Promotional printing on request.



Other colours can be found in our online shop!

### Wooden Push Button Ballpoint Pen "FOREST"

Wooden push button ballpoint pen with nickel plated metal clip and metal tip. Shaft in protective coated PEFC-certified beechwood. With x 20 black ink refills.

Clip material: nickel plated metal; Shaft material: beechwood;  
Nib material: nickel plated metal; Colour: beech

Minimum quantity: 300 pieces  
**40.1173.1**

Promotional printing on request.



## Mini Pocket Eco Umbrella Shopping ...


... demonstrably sustainable!



### Mini pocket Umbrella Ecobrella Shopping

Practical and durable hand opener pocket umbrella including shopping bag. Easy handling due to safety slider; high quality Windproof-System, withstands even stronger gusts of wind; STANDARD 100 by OEKO-TEX® certified polyester pongee cover material made of recycled plastics; handle made of plastic; pole made of steel; soft feel handle with elastic carrying cord and advertising space; zippered sheathing can also be used as a practical shopping bag with storage compartment for the umbrella. Diameter of umbrella: 98 cm; Number of wedges: 8; Weight: 265 g;

Advertising on request!  
40.1852.



## Mini Display Stick'n Glide - made from recycled plastic ...

... attaches to any flat, horizontal surface without adhesive!

The original Stick'n Glide display offers countless applications for versatile marketing. For example, the mini display can be used as a table stand or recommendation card in the catering trade, as a counter display in retail outlets, in pharmacies, cosmetics shops, lottery shops and electrical goods stores.

**Prices are calculated individually for each project according to the quantity and size of the motif.**

### Advantages:

- ✓ rain and wind resistant
- ✓ does not leave adhesive residues or damage
- ✓ reusable and repositionable
- ✓ can be written on
- ✓ is delivered flat
- ✓ recyclable
- ✓ colourfast even with UV radiation

Watch our product video at:  
[vkf.de/sg-en](https://vkf.de/sg-en)






# Vending Machine "Lemgo"

*Automatically sell more!*

- ✓ selling without staffing costs
- ✓ vending machines don't operate to opening hours
- ✓ upselling made easy
- ✓ change prices and offers conveniently online
- ✓ also available with refrigeration
- ✓ customer-friendly operation
- ✓ many more features





## One Lemgo - many possibilities ...

... tailored to your field of application!

Grilled meat  
vending machine



### Advantages at a glance!



**Payment methods**  
Cash, card, contactless,  
smartphone or smartwatch



**Shopping Cart Function**  
Several articles can be  
purchased simultaneously



**Lift system**  
Careful transport of your  
goods and products



**Adjustable temperature**  
Built-in refrigeration  
up to 4° Celsius



**Cloud**  
Stocks and statistics  
available online



**Touchpad**  
Easy to operate with modern  
touch screen display



**Warranty included**  
Two years warranty guaranteed



**Online Planning**  
Define offers and  
discounts online



Interactive  
touchscreen  
display





## Grab attention ...

... with an attractive wrap!



**Basic Branding**  
(wrap without profile frame)

**Premium Branding**  
(full wrap)

The placement of the vending machine not only offers many possibilities, but also a large advertising space. This space can be optimally used with an attractive **individual vinyl print**. Also the interior of the vending machine is completely configurable and can be arranged by the customer.

## Customise your vending machines ...

... 6 shelves are included!



- 10 spirals per tray
- in various sizes
- 2 spirals can be combined for wider products



- 10 belts per tray
- belt length of 350 mm each
- Combination of up to 4 belts
- forshelf widths: 75, 150, 225, 300 mm



UV protective film



Privacy film



Impact protection film

Watch our video on versatility and easy operation:  
[vkf.de/lemgo-en](http://vkf.de/lemgo-en)



## Availability for your customers even after closing time ...

*... make it possible!*

### Collection station

- ✓ Handing over and receiving goods, even after opening hours
- ✓ Notification by e-mail including QR opening code
- ✓ Open the parcel compartment using QR code
- ✓ Online compartment reservation
- ✓ API for integration into stock management system

### Vending machine "FlexVend"

- ✓ interactive touchscreen display
- ✓ output modules refrigerated or ambient
- ✓ space for larger products
- ✓ configuration can be changed and extended



Just ask us and we'll be happy to advise!

## Visit our online shop!



**Direct ordering**  
Enter the item code  
and order.



**LIVE Support**  
Got a question?  
We're here to help!



**Innovation**  
Discover our  
new products.



**Country specific shops**  
We're here for you  
worldwide!



**Trade specific products**  
Use our suggestions for your  
field of business



Our current T&Cs can be found at [www.vkf-renzel.com/content/cos](http://www.vkf-renzel.com/content/cos)





[www.vkf-renzel.com](http://www.vkf-renzel.com)